

References

- Guidelines for management of asthma in adults: I—Chronic persistent asthma. Statement by the British Thoracic Society, Research Unit of the Royal College of Physicians of London, King's Fund Centre, National Asthma Campaign. *BMJ* 1990;301:651-3.
- Guidelines for management of asthma in adults: II—Acute severe asthma. Statement by the British Thoracic Society, Research Unit of the Royal College of Physicians of London, King's Fund Centre, National Asthma Campaign. *BMJ* 1990;301:797-800.
- Guidelines on the management of asthma. Statement by the British Thoracic Society, the Brit. Paediatric Association, the Research Unit of the Royal College of Physicians of London, the King's Fund Centre, the National Asthma Campaign, the Royal College of General Practitioners, the General Practitioners in Asthma Group, the Brit. Assoc. of Accident and Emergency Medicine, and the Brit. Paediatric Respiratory Group. *Thorax* 1993;48(2 Suppl):S1-24.
- British Thoracic Society, National Asthma Campaign, Royal College of Physicians of London in association with the General Practitioner in Asthma Group, et al. The British guidelines on asthma management 1995 review and position statement. *Thorax* 1997;52(Suppl 1):S1-S21.
- Scottish Intercollegiate Guidelines Network (SIGN). Hospital inpatient management of acute asthma attacks. Edinburgh: SIGN; 1996. (SIGN publication no. 6).
- Scottish Intercollegiate Guidelines Network (SIGN). Primary care management of asthma. Edinburgh: SIGN; 1998. (SIGN publication no. 33).
- Scottish Intercollegiate Guidelines Network (SIGN). Emergency management of acute asthma. Edinburgh: SIGN; 1999. (SIGN publication no. 38).
- Scottish Intercollegiate Guidelines Network (SIGN). SIGN 50: a guideline developers' handbook. Edinburgh: SIGN; 2002. (SIGN publication no. 50).
- Harbour R, Miller J. A new system for grading recommendations in evidence based guidelines. *BMJ* 2001;323:334-6.
- Terminology, definitions and classification of chronic pulmonary emphysema and related conditions. A report of the conclusions of a CIBA guest symposium. *Thorax* 1959;14:286-99.
- International consensus report on the diagnosis and treatment of asthma. National Heart, Lung, and Blood Institute, National Institutes of Health. Bethesda, Maryland 20892. Publication no. 92-3091, March 1992. *Eur Respir J* 1992;5:601-41.
- Higgins BG, Britton JR, Chinn S, et al. The distribution of peak flow variability in a population sample. *Am Rev Respir Dis* 1989;140:1368-72.
- Kesten S, Rebusk AS. Is the short-term response to inhaled beta-adrenergic agonist sensitive or specific for distinguishing between asthma and COPD? *Chest* 1994;105:1042-5.
- Thiaden HA, De Bock GH, Dekker FW, et al. Value of measuring diurnal peak flow variability in the recognition of asthma: a study in general practice. *Eur Respir J* 1998;12:842-7.
- Kunzli N, Stutz EZ, Perruchoud AP, et al. Peak flow variability in the SAPALDIA study and its validity in screening for asthma-related conditions. The SAPALDIA Team. *Am J Respir Crit Care Med* 1999;160:427-34.
- Siersted HC, Mostgaard G, Hyldebrandt N, et al. Interrelationships between diagnosed asthma, asthma-like symptoms, and abnormal airway behaviour in adolescence: the Odense Schoolchild Study. *Thorax* 1996;51:503-9.
- Quackenboss JJ, Lebowitz MD, Krzyzanowski M. The normal range of diurnal changes in peak expiratory flow rates. Relationship to symptoms and respiratory disease. *Am Rev Respir Dis* 1991;143:323-30.
- Reddel HK, Salome CM, Peat JK, et al. Which index of peak expiratory flow is most useful in the management of stable asthma? *Am J Respir Crit Care Med* 1995;151:1320-5.
- Tweeddale PM, Alexander F, McHardy GJ. Short term variability in FEV1 and bronchodilator responsiveness in patients with obstructive ventilatory defects. *Thorax* 1987;42:487-90.
- Martinez FD, Wright AL, Taussig LM, et al. Asthma and wheezing in the first six years of life. The Group Health Medical Associates. *N Engl J Med* 1995;332:133-8.
- Sears MR, Holdaway MD, Flannery EM, et al. Parental and neonatal risk factors for atopy, airway hyper-responsiveness, and asthma. *Arch Dis Child* 1996;75:392-8.
- Barbee RA, Murphy S. The natural history of asthma. *J Allergy Clin Immunol* 1998;102:S65-72.
- Martinez FD, Cline M, Burrows B. Increased incidence of asthma in children of smoking mothers. *Pediatrics* 1992;89:21-6.
- Lux AL, Henderson AJ, Pocock SJ. Wheeze associated with prenatal tobacco smoke exposure: a prospective, longitudinal study. ALSPAC Study Team. *Arch Dis Child* 2000;83:307-12.
- Villa JR, Garcia G, Rueda S, et al. Serum eosinophilic cationic protein may predict clinical course of wheezing in young children. *Arch Dis Child* 1998;78:448-52.
- Tariq SM, Matthews SM, Hakim EA, et al. The prevalence of and risk factors for atopy in early childhood: a whole population birth cohort study. *J Allergy Clin Immunol* 1998;101:587-93.
- Rusconi F, Galassi C, Corbo GM, et al. Risk factors for early, persistent, and late-onset wheezing in young children. SIDRIA Collaborative Group. *Am J Respir Crit Care Med* 1999;160:1617-22.
- Clarke JR, Salmon B, Silverman M. Bronchial responsiveness in the neonatal period as a risk factor for wheezing in infancy. *Am J Respir Crit Care Med* 1995;151:1434-40.
- Rona RJ, Duran-Tauleria E, Chinn S. Family size, atopic disorders in parents, asthma in children, and ethnicity. *J Allergy Clin Immunol* 1997;99:454-60.
- Stein RT, Holberg CJ, Sherrill D, et al. Influence of parental smoking on respiratory symptoms during the first decade of life: the Tucson Children's Respiratory Study. *Am J Epidemiol* 1999;149:1030-7.
- Withers NJ, Low L, Holgate ST, et al. The natural history of respiratory symptoms in a cohort of adolescents. *Am J Respir Crit Care Med* 1998;158:352-7.
- McConnochie KM, Roghmann KJ. Wheezing at 8 and 13 years: changing importance of bronchiolitis and passive smoking. *Pediatr Pulmonol* 1989;6:138-46.
- Blair H. Natural history of childhood asthma. 20-year follow-up. *Arch Dis Child* 1977;52:613-9.
- Sporik R, Holgate ST, Cogswell JJ. Natural history of asthma in childhood - a birth cohort study. *Arch Dis Child* 1991;66:1050-3.
- Anderson HR, Pottier AC, Strachan DP. Asthma from birth to age 23: incidence and relation to prior and concurrent atopic disease. *Thorax* 1992;47:537-42.
- Austin JB, Kaur B, Anderson HR, et al. Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood). *Arch Dis Child* 1999;81:225-30.
- Ponsonby AL, Couper D, Dwyer T, et al. Cross sectional study of the relation between sibling number and asthma, hay fever, and eczema. *Arch Dis Child* 1998;79:328-33.
- Reijonen TM, Kotaniemi-Syrjanen A, Korhonen K, et al. Predictors of asthma three years after hospital admission for wheezing in infancy. *Pediatrics* 2000;106:1406-12.
- Wolfe R, Carlin JB, Oswald H, et al. Association between allergy and asthma from childhood to middle adulthood in an Australian cohort study. *Am J Respir Crit Care Med* 2000;162:2177-81.
- Brooke AM, Lambert PC, Burton PR, et al. The natural history of respiratory symptoms in preschool children. *Am J Respir Crit Care Med* 1995;152:1872-8.
- Kjellman B, Hesselmar B. Prognosis of asthma in children: a cohort study into adulthood. *Acta Paediatr* 1994;83:854-61.
- Johnstone DE. A study of the natural history of bronchial asthma in children. *Am J Dis Child* 1968;115:213-6.
- Jenkins MA, Hopper JL, Bowes G, et al. Factors in childhood as predictors of asthma in adult life. *BMJ* 1994;309:90-3.
- Castro-Rodriguez JA, Holberg CJ, Wright AL, et al. A clinical index to define risk of asthma in young children with recurrent wheezing. *Am J Respir Crit Care Med* 2000;162:1403-6.
- Robertson CF, Heycock E, Bishop J, et al. Prevalence of asthma in Melbourne schoolchildren: changes over 26 years. *BMJ* 1991;302:1116-8.
- Martin AJ, McLennan LA, Landau LI, et al. The natural history of childhood asthma to adult life. *BMJ* 1980;280:1397-400.
- Luyt DK, Burton PR, Simpson H. Epidemiological study of wheeze, doctor diagnosed asthma, and cough in preschool children in Leicestershire. *BMJ* 1993;306:1386-90.
- Aberg N, Engstrom I. Natural history of allergic diseases in children. *Acta Paediatr Scand* 1990;79:206-11.
- Sigurs N, Bjarnason R, Sigurbergsson F, et al. Asthma and immunoglobulin E antibodies after respiratory syncytial virus bronchiolitis: a prospective cohort study with matched controls. *Pediatrics* 1995;95:500-5.
- Laor A, Cohen L, Danon YL. Effects of time, sex, ethnic origin, and area of residence on prevalence of asthma in Israeli adolescents. *BMJ* 1993;307:841-4.
- Sherman CB, Tosteson TD, Tager IB, et al. Early childhood predictors of asthma. *Am J Epidemiol* 1990;132:83-95.
- Roorda RJ. Prognostic factors for the outcome of childhood asthma in adolescence. *Thorax* 1996;51:S7-12.
- Godden DJ, Ross S, Abdalla M, et al. Outcome of wheeze in childhood. Symptoms and pulmonary function 25 years later. *Am J Respir Crit Care Med* 1994;149:106-12.

54. Martinez FD, Helms PJ. Types of asthma and wheezing. *Eur Respir J Suppl* 1998;27:3s-8s.
55. Sly PD, Hibbert ME. Childhood asthma following hospitalization with acute viral bronchiolitis in infancy. *Pediatr Pulmonol* 1989;7:153-8.
56. Sims DG, Downham MA, Gardner PS, et al. Study of 8-year-old children with a history of respiratory syncytial virus bronchiolitis in infancy. *BMJ* 1978;1:11-4.
57. Sigurs N, Bjarnason R, Sigurbergsson F, et al. Respiratory syncytial virus bronchiolitis in infancy is an important risk factor for asthma and allergy at age 7. *Am J Respir Crit Care Med* 2000;161:1501-7.
58. Kneyber MCJ, Steyerberg EW, de Groot R, et al. Long-term effects of respiratory syncytial virus (RSV) bronchiolitis in infants and young children: a quantitative review. *Acta Paediatr* 2000;89:654-60.
59. Lewis S, Butland B, Strachan D, et al. Study of the aetiology of wheezing illness at age 16 in two national British birth cohorts. *Thorax* 1996;51:670-6.
60. Strachan DP, Butland BK, Anderson HR. Incidence and prognosis of asthma and wheezing illness from early childhood to age 33 in a national British cohort. *BMJ* 1996;312:1195-9.
61. Joad JP. Smoking and pediatric respiratory health. *Clin Chest Med* 2000;21:37-46.
62. Shaheen SO, Sterne JA, Montgomery SM, et al. Birth weight, body mass index and asthma in young adults. *Thorax* 1999;54:396-402.
63. Gross SJ, Iannuzzi DM, Kveselis DA, et al. Effect of preterm birth on pulmonary function at school age: a prospective controlled study. *J Pediatr* 1998;133:188-92.
64. Clough JB, Keeping KA, Edwards LC, et al. Can we predict which wheezy infants will continue to wheeze? *Am J Respir Crit Care Med* 1999;160:1473-80.
65. Martinez FD, Stern DA, Wright AL, et al. Differential immune responses to acute lower respiratory illness in early life and subsequent development of persistent wheezing and asthma. *J Allergy Clin Immunol* 1998;102:915-9.
66. Trefny P, Stricker T, Baerlocher C, et al. Family history of atopy and clinical course of RSV infection in ambulatory and hospitalized infants. *Pediatr Pulmonol* 2000;30:302-6.
67. Young S, O'Keefe PT, Arnott J, et al. Lung function, airway responsiveness, and respiratory symptoms before and after bronchiolitis. *Arch Dis Child* 1995;72:16-24.
68. Park ES, Golding J, Carswell F, et al. Preschool wheezing and prognosis at 10. *Arch Dis Child* 1986;61:642-6.
69. Dodge R, Martinez FD, Cline MG, et al. Early childhood respiratory symptoms and the subsequent diagnosis of asthma. *J Allergy Clin Immunol* 1996;98:48-54.
70. Roorda RJ, Gerritsen J, Van Aalderen WM, et al. Risk factors for the persistence of respiratory symptoms in childhood asthma. *Am J Respir Dis* 1993;148:1490-5.
71. Strachan D, Gerritsen J. Long-term outcome of early childhood wheezing: population data. *Eur Respir J* 1996;21:42s-7s.
72. Ulrik CS, Backer V, Hesse B, et al. Risk factors for development of asthma in children and adolescents: findings from a longitudinal study. *Respir Med* 1996;90:623-30.
73. Giles GG, Lickiss N, Gibson HB, et al. Respiratory symptoms in Tasmanian adolescents: a follow up of the 1961 birth cohort. *Aus N Z J Med* 1984;14:631-7.
74. Lau S, Illi S, Sommerfeld C, et al. Early exposure to house-dust mite and cat allergens and development of childhood asthma: a cohort study. Multicentre Allergy Study Group. *Lancet* 2000;356:1392-7.
75. Custovic A, Simpson BM, Simpson A, et al. Effect of environmental manipulation in pregnancy and early life on respiratory symptoms and atopy during the first year of life: a randomised trial. *Lancet* 2001;358:188-93.
76. Chan-Yeung M, Manfreda J, Dimich-Ward H, et al. A randomized controlled study on the effectiveness of a multifaceted intervention program in the primary prevention of asthma in high-risk infants. *Arch Pediatr Adolesc Med* 2000;154:657-63.
77. Hyde DW, Matthews S, Tariq S, et al. Allergen avoidance in infancy and allergy at 4 years of age. *Allergy* 1996;51:89-93.
78. Zeiger RS, Heller S, Mellon MH, et al. Genetic and environmental factors affecting the development of atopy through age 4 in children of atopic parents: A prospective randomized study of food allergen avoidance. *Pediatr Allergy Immunol* 1992;3:110-27.
79. Remes ST, Castro-Rodriguez JA, Holberg CJ, et al. Dog exposure in infancy decreases the subsequent risk of frequent wheeze but not of atopy. *J Allergy Clin Immunol* 2001;108:509-15.
80. Hesselmar B, Aberg N, Aberg B, et al. Does early exposure to cat or dog protect against later allergy development? *Clin Exp Allergy* 1999;29:611-7.
81. Platts-Mills T, Vaughan J, Squillace S, et al. Sensitisation, asthma, and a modified Th2 response in children exposed to cat allergen: a population-based cross-sectional study. *Lancet* 2001;357:752-6.
82. Gdalevich M, Mimouni D, David M, et al. Breast-feeding and the risk of bronchial asthma in childhood: a systematic review with meta-analysis of prospective studies. *J Pediatr* 2001;139:261-6.
83. Wright AL, Holberg CJ, Taussig LM, et al. Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood. *Thorax* 2001;56:192-7.
84. Schoetza A, Gehring U, Wichmann HE. Prospective cohort studies using hydrolysed formulas for allergy prevention in atopy-prone newborns: a systematic review. *Eur J Pediatr* 2001;160:323-32.
85. Hodge L, Salome CM, Peat JK, et al. Consumption of oily fish and childhood asthma risk. *Med J Aust* 1996;164:137-40.
86. Holt PG, Sly PD, Bjorksten B. Atopic versus infectious diseases in childhood: a question of balance? *Pediatr Allergy Immunol* 1997;8:53-8.
87. Strachan DP. Family size, infection and atopy: the first decade of the "hygiene hypothesis". *Thorax* 2000;55(Suppl 1):S2-10.
88. Kalliomaki M, Salminen S, Arvilommi H, et al. Probiotics in primary prevention of atopic disease: a randomised placebo-controlled trial. *Lancet* 2001;357:1076-9.
89. Des Roches A, Paradis L, Menardo JL, et al. Immunotherapy with standardized dermatophagoides pteronyssinus extract. VI. Specific immunotherapy prevents the onset of new sensitizations in children. *J Allergy Clin Immunol* 1997;99:450-3.
90. Purrello-D'Ambrosio F, Gangemi S, Merendino RA, et al. Prevention of new sensitizations in monosensitized subjects submitted to specific immunotherapy or not. A retrospective study. *Clin Exp Allergy* 2001;31:1295-302.
91. Pajno GB, Barberio G, de Luca F, et al. Prevention of new sensitizations in asthmatic children monosensitized to house dust mite by specific immunotherapy. A six-year follow-up study. *Clin Exp Allergy* 2001;31:1392-7.
92. Möller C, Dreborg S, Ferdousi HA, et al. Pollen immunotherapy reduces the development of asthma in children with seasonal rhinoconjunctivitis (the PAT-study). *J Allergy Clin Immunol* 2002;109:251-6.
93. Hasselblad V, Eddy DM, Kotchmar DJ. Synthesis of environmental evidence: nitrogen dioxide epidemiology studies. *J Air Waste Manage Assoc* 1992;42:662-71.
94. Burr ML, Anderson HR, Austin JB, et al. Respiratory symptoms and home environment in children: a national survey. *Thorax* 1999;54:27-32.
95. Strachan DP, Carey IM. Home environment and severe asthma in adolescence: a population based case-control study. *BMJ* 1995;311:1053-6.
96. Cook DG, Strachan DP. Health effects of passive smoking-10: Summary of effects of parental smoking on the respiratory health of children and implications for research. *Thorax* 1999;54:357-66.
97. Dezateau C, Stocks J, Dundas I, et al. Impaired airway function and wheezing in infancy: the influence of maternal smoking and a genetic predisposition to asthma. *Am J Respir Crit Care Med* 1999;159:403-10.
98. Gilliland FD, Berhane K, McConnell R, et al. Maternal smoking during pregnancy, environmental tobacco smoke exposure and childhood lung function. *Thorax* 2000;55:271-6.
99. Lodrup Carlsen KC, Jaakkola JJ, Nafstad P, et al. In utero exposure to cigarette smoking influences lung function at birth. *Eur Respir J* 1997;10:1774-9.
100. Lodrup Carlsen KC, Carlsen KH, Nafstad P, et al. Perinatal risk factors for recurrent wheeze in early life. *Pediatr Allergy Immunol* 1999;10:89-95.
101. Young S, Le Souef PN, Geelhoed GC, et al. The influence of a family history of asthma and parental smoking on airway responsiveness in early infancy. *N Engl J Med* 1991;324:1168-73.
102. Iikura Y, Naspitz CK, Mikawa H, et al. Prevention of asthma by ketotifen in infants with atopic dermatitis. *Ann Allergy* 1992;68:233-6.
103. Bustos GJ, Bustos D, Bustos GJ, et al. Prevention of asthma with ketotifen in preasthmatic children: a three-year follow-up study. *Clin Exp Allergy* 1995;25:568-73.
104. Warner JO. A double-blinded, randomized, placebo-controlled trial of cetirizine in preventing the onset of asthma in children with atopic dermatitis: 18 months' treatment and 18 months' posttreatment follow-up. *J Allergy Clin Immunol* 2001;108:929-37.
105. Sporik R, Holgate ST, Platts-Mills TA, et al. Exposure to house-dust mite allergen (Der p 1) and the development of asthma in childhood. *N Engl J Med* 1990;323:502-7.
106. Peat JK, Salome CM, Woolcock AJ. Longitudinal changes in atopy during a 4-year period: relation to bronchial hyperresponsiveness and respiratory symptoms in a population sample of Australian schoolchildren. *J Allergy Clin Immunol* 1990;85:65-74.
107. Sherrill D, Stein R, Kurzius-Spencer M, et al. Early sensitization to allergens and development of respiratory symptoms. *Clin Exp Allergy* 1999;29:905-11.

108. Platts-Mills TA, Thomas WR, Aalberse RC, et al. Dust mite allergens and asthma: report of a second international workshop. *J Allergy Clin Immunol* 1992;89:1046-60.
109. Custovic A, Woodcock A. Clinical effects of allergen avoidance. *Clin Rev Allergy Immunol* 2000;18:397-419.
110. Rosenstreich DL, Eggleston P, Kattan M, et al. The role of cockroach allergy and exposure to cockroach allergen in causing morbidity among inner-city children with asthma. *New Engl J Med* 1997;336:1356-63.
111. Peroni DG, Boner AL, Vallone G, et al. Effective allergen avoidance at high altitude reduces allergen-induced bronchial hyperresponsiveness. *Am J Respir Crit Care Med* 1994;149:1442-6.
112. Platts-Mills TA, Tovey ER, Mitchell EB, et al. Reduction of bronchial hyperreactivity during prolonged allergen avoidance. *Lancet* 1982;2:675-8.
113. Simon HU, Grotzer M, Nikolaizik WH, et al. High altitude climate therapy reduces peripheral blood T lymphocyte activation, eosinophilia, and bronchial obstruction in children with house dust-mite allergic asthma. *Pediatr Pulmonol* 1994;17:304-11.
114. Gotzsche PC, Hammarquist C, Burr M. House dust mite control measures in the management of asthma: meta-analysis. *BMJ* 1998;317:1105-10.
115. Gotzsche PC, Johansen HK, Hammarquist C, et al. House dust mite control measures for asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
116. Warner JA. Controlling indoor allergens. *Pediatr Allergy Immunol* 2000;11:208-19.
117. Wood RA, Chapman MD, Adkinson NF Jr, et al. The effect of cat removal on allergen content in household-dust samples. *J Allergy Clin Immunol* 1989;83:730-4.
118. Wood RA, Johnson EF, Van Natta ML, et al. A placebo-controlled trial of a HEPA air cleaner in the treatment of cat allergy. *Am J Respir Crit Care Med* 1998;158:115-20.
119. Carter MC, Perzanowski MS, Raymond A, et al. Home intervention in the treatment of asthma among inner-city children. *J Allergy Clin Immunol* 2001;108:732-7.
120. Halonen M, Stern DA, Wright AL, et al. Alternaria is a major allergen for asthma in children raised in a desert environment. *Am J Respir Crit Care Med* 1997;155:1356-61.
121. Strachan DP, Cook DG. Health effects of passive smoking. 1. Parental smoking and low respiratory illness in infancy and early childhood. *Thorax* 1997;52:905-14.
122. Institute of Medicine. Exposure to environmental tobacco smoke. In: Institute of Medicine, editor. Clearing the air: asthma and indoor exposures. Washington (DC): National Academic Press; 2000. p. 263-97.
123. Murray AB, Morrison BJ. The decrease in severity of asthma in children of parents who smoke since the parents have been exposing them to less cigarette smoke. *J Allergy Clin Immunol* 1993;91:102-10.
124. Rasmussen F, Siersted HC, Lambrechtsen J, et al. Impact of airway lability, atopy, and tobacco smoking on the development of asthma-like symptoms in asymptomatic teenagers. *Chest* 2000;117:1330-5.
125. Abulhosn RS, Morray BH, Llewellyn CE, et al. Passive smoke exposure impairs recovery after hospitalization for acute asthma. *Arch Pediatr Adolesc Med* 1997;151:135-9.
126. McIntosh NA, Clark NM, Howatt WF. Reducing tobacco smoke in the environment of the child with asthma: a cotinine-assisted, minimal-contact intervention. *J Asthma* 1994;31:453-62.
127. Irvine L, Crombie IK, Clark RA, et al. Advising parents of asthmatic children on passive smoking: randomised controlled trial. *BMJ* 1999;318:1456-9.
128. Eisner MD, Yelin EH, Henke J, et al. Environmental tobacco smoke and adult asthma. The impact of changing exposure status on health outcomes. *Am J Respir Crit Care Med* 1998;158:170-5.
129. Magnussen H, Jörres R, Nowak D. Effect of air pollution on the prevalence of asthma and allergy: lessons from the German reunification. *Thorax* 1993;48:879-81.
130. Wichmann HE, Heinrich J. Health effects of high level exposure to traditional pollutants in East Germany - review and ongoing research. *Environ Health Perspect* 1995;103:29-35.
131. Kaur B, Anderson HR, Austin J, et al. Prevalence of asthma symptoms, diagnosis, and treatment in 12-14 year old children across Great Britain (international study of asthma and allergies in childhood, ISAAC UK). *BMJ* 1998;316:118-24.
132. Molino NA, Wright SC, Katz I, et al. Effect of low concentrations of ozone on inhaled allergen responses in asthmatic subjects. *Lancet* 1991;338:199-203.
133. Devalia JL, Rusznak C, Herdman MJ, et al. Effect of nitrogen dioxide and sulphur dioxide on airway response of mild asthmatic patients to allergen inhalation. *Lancet* 1994;344:1668-71.
134. Committee on the Medical Effects of Air Pollutants. Asthma and outdoor air pollution. London: HMSO; 1995.
135. Tunnicliffe WS, Burge PS, Ayres JG. Effect of domestic concentrations of nitrogen dioxide on airway responses to inhaled allergen in asthmatic patients. *Lancet* 1994;344:1733-6.
136. Norbäck D, Björnsson E, Janson C, et al. Asthmatic symptoms and volatile organic compounds, formaldehyde, and carbon dioxide in dwellings. *Occup Environ Med* 1995;52:388-95.
137. Huntley A, Ernst E. Herbal medicines for asthma: a systematic review. *Thorax* 2000;55:925-9.
138. Linde K, Jobst K, Panton J. Acupuncture for chronic asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
139. Warner JA, Marchant JL, Warner JO. A double blind trial of ionisers in children with asthma sensitive to the house dust mite. *Thorax* 1993;48:330-3.
140. Linde K, Jobst KA. Homeopathy for chronic asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
141. Hackman RM, Stern JS, Gershwin ME. Hypnosis and asthma: a critical review. *J Asthma* 2000;37:1-15.
142. Hondras MA, Linde K, Jones AP. Manual therapy for asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
143. Ram FSF, Robinson SM, Black PN. Physical training for asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
144. Holloway E, Ram FSF. Breathing exercises for asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
145. Panton J, Barley EA. Family therapy for asthma in children (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
146. Britton J, Pavord I, Richards K, et al. Dietary magnesium, lung function, wheezing, and airway hyperreactivity in a random adult population sample. *Lancet* 1994;344:357-62.
147. Carey OJ, Locke C, Cookson JB. Effect of alterations of dietary sodium on the severity of asthma in men. *Thorax* 1993;48:714-8.
148. Soutar A, Seaton A, Brown K. Bronchial reactivity and dietary antioxidants. *Thorax* 1997;52:166-70.
149. Arm JP, Horton CE, Spur BW, et al. The effects of dietary supplementation with fish oil lipids on the airways response to inhaled allergen in bronchial asthma. *Am Rev Respir Dis* 1989;139:1395-400.
150. Woods RK, Thien FC, Abramson MJ. Dietary marine fatty acids (fish oil) for asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
151. Stenius-Aarniala B, Poussa T, Kvarnstrom J, et al. Immediate and long term effects of weight reduction in obese people with asthma: randomised controlled study. *BMJ* 2000;320:827-32.
152. Coughlan JL, Gibson PG, Henry RL. Medical treatment for reflux oesophagitis does not consistently improve asthma control: a systematic review. *Thorax* 2001;56:198-204.
153. Beamon S, Falkenbach A, Fainburg G, et al. Speleotherapy for asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
154. Abramson M, Puy R, Weiner J. Immunotherapy in asthma: an updated systematic review. *Allergy* 1999;54:1088-41.
155. Ross RN, Nelson HS, Finegold I. Effectiveness of specific immunotherapy in the treatment of asthma: a meta-analysis of prospective, randomized, double-blind, placebo-controlled trials. *Clin Ther* 2000;22:329-41.
156. Abramson MJ, Puy RM, Weiner JM. Allergen immunotherapy for asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
157. North of England Evidence Based Guideline Development Project. The primary care management of asthma in adults. Newcastle upon Tyne: University of Newcastle upon Tyne, Centre for Health Services Research; 1999. Report No. 97.
158. Pharmacological management of asthma. Evidence table 4.2: ipratropium bromide. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
159. Walters EH, Walters J. Inhaled short acting beta2-agonist use in asthma: regular versus as needed treatment (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
160. Dennis SM, Sharp SJ, Vickers MR, et al. Regular inhaled salbutamol and asthma control: the TRUST randomised trial. Therapy Working Group of the National Asthma Task Force and the MRC General Practice Research Framework. *Lancet* 2000;355:1675-9.
161. Pharmacological management of asthma. Evidence table 4.1: inhaled short acting beta 2 agonists. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
162. Adams NP, Bestall JB, Jones PW. Inhaled beclomethasone versus placebo for chronic asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.

163. Adams N, Bestall J, Jones PW. Inhaled fluticasone propionate for chronic asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
164. Pharmacological management of asthma. Evidence table 4.4a: inhaled corticosteroid vs theophylline. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
165. Pharmacological management of asthma. Evidence table 4.4c: inhaled corticosteroid vs leukotriene receptor antagonists. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
166. Calpin C, Macarthur C, Stephens D, et al. Effectiveness of prophylactic inhaled steroids in childhood asthma: a systemic review of the literature. *J Allergy Clin Immunol* 1997;100:452-7.
167. Pharmacological management of asthma. Evidence table 4.7: high dose step-down. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
168. Sharek PJ, Bergman DA. The effect of inhaled steroids on the linear growth of children with asthma: a meta-analysis. *Pediatrics* 2000;106:E8.
169. Pharmacological management of asthma. Evidence table 4.25: budesonide vs beclomethasone. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
170. Table 16: nedocromil and sodium cromoglycate studies not included in the nedocromil meta-analysis. In: North of England Evidence Based Guideline Development Project, editor. The primary care management of asthma in adults. Newcastle upon Tyne: University of Newcastle upon Tyne, Centre for Health Services Research; 1999. p. 46-7.
171. Removed in 2005 update.
172. Pharmacological management of asthma. Evidence table 4.4d: leukotriene receptor antagonists with short-acting beta-agonists. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
173. Pharmacological management of asthma. Evidence table 4.4b: short acting vs long-acting B2 agonists in asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
174. Pharmacological management of asthma. Evidence table 4.4e: short acting + long-acting B2 agonists in children. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
175. Van Ganse E, Kaufman L, Derde MP, et al. Effects of antihistamines in adult asthma: a meta-analysis of clinical trials. *Eur Respir J* 1997;10:2216-24.
176. Pharmacological management of asthma. Evidence table 4.11b: add-on drugs for inhaled steroids: Long acting or oral B2 agonists. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
177. Pharmacological management of asthma. Evidence table 4.11d: add-on drugs for inhaled steroids: theophylline, beclomethasone dipropionate, budesonide. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
178. Pharmacological management of asthma. Evidence table 4.11c: add-on drugs for inhaled steroids: anticholinergics. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
179. Pharmacological management of asthma. Evidence table 4.11a: add-on drugs for inhaled steroids: cromones. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
180. Kips JC, Pauwels RA. Long-acting inhaled beta(2)-agonist therapy in asthma. *Am J Respir Crit Care Med* 2001;164:923-32.
181. Becker AB, Simons FE. Formoterol, a new long-acting selective beta 2-adrenergic receptor agonist: double-blind comparison with salbutamol and placebo in children with asthma. *J Allergy Clin Immunol* 1989;84:891-5.
182. Pharmacological management of asthma. Evidence table 4.22: combined therapy of inhaled steroids and long acting B2 agonists. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
183. Pharmacological management of asthma. Evidence table 4.8c: children with poor asthma control on ICS - is addition of leukotriene receptor antagonists helpful? Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
184. Knorr B, Franchi LM, Bisgaard H, et al. Montelukast, a leukotriene receptor antagonist, for the treatment of persistent asthma in children aged 2 to 5 years. *Pediatrics* 2001;108:E48.
185. National Osteoporosis Society. Guidance on the prevention and management of corticosteroid induced osteoporosis. Bath: The Society; 1998.
186. Pharmacological management of asthma. Evidence table 4.13a: immunosuppressive agents. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
187. O'Driscoll BR, Ruffles SP, Ayres JG, et al. Long term treatment of severe asthma with subcutaneous terbutaline. *Br J Dis Chest* 1988;82:360-7.
188. Pharmacological management of asthma. Evidence table 4.9: exacerbation. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
189. Henriksen JM, Agertoft L, Pedersen S. Protective effect and duration of action of inhaled formoterol and salbutamol on exercise-induced asthma in children. *J Allergy Clin Immunol* 1992;89:1176-82.
190. Pharmacological management of asthma. Evidence table 4.3a: long acting B2 agonists in exercise induced asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
191. Pharmacological management of asthma. Evidence table 4.3c: theophyllines in exercise-induced asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
192. Nassif EG, Weinberger M, Thompson R, et al. The value of maintenance theophylline in steroid-dependent asthma. *N Engl J Med* 1981;304:71-5.
193. Pharmacological management of asthma. Evidence table 4.3d: leukotriene receptor antagonists in exercise induced asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
194. Kelly K, Spooner CH, Rowe BH. Nedocromil sodium versus sodium cromoglycate for preventing exercise-induced bronchoconstriction in asthmatics (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
195. Pharmacological management of asthma. Evidence table 4.3g: oral B2 agonists for exercise induced asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
196. Pharmacological management of asthma. Evidence table 4.3f: anti-cholinergic therapy for exercise-induced asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
197. Pharmacological management of asthma. Evidence table 4.3b: ketotifen for exercise-induced asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
198. Pharmacological management of asthma. Evidence table 4.3e: antihistamines for exercise-induced asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
199. Pharmacological management of asthma. Evidence table 4.10: rhinitis. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
200. Pharmacological management of asthma. Evidence table 4.21: aspirin intolerant asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
201. Pharmacological management of asthma. Evidence table 4.23: anti IgE in asthma. Edinburgh: SIGN; 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
202. Brocklebank D, Ram F, Wright J, et al. Comparison of the effectiveness of inhaler devices in asthma and chronic obstructive airways disease: a systematic review of the literature. *Health Technol Assess* 2001;5:1-149.
203. Cates CJ, Rowe BH, Bara A. Holding chambers versus nebulisers for beta-agonist treatment of acute asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
204. Leversha AM, Campanella SG, Aickin RP, et al. Costs and effectiveness of spacer versus nebuliser in young children with moderate and severe acute asthma. *J Pediatr* 2000;136:497-502.
205. Closa RM, Ceballos JM, Gomez-Papi A, et al. Efficacy of bronchodilators administered by nebulizers versus spacer devices in infants with acute wheezing. *Pediatr Pulmonol* 1998;26:344-8.
206. Ram FS, Wright J, Brocklebank D, et al. Systematic review of clinical effectiveness of pressurised metered dose inhalers versus other hand held inhaler devices for delivering beta(2) agonists bronchodilators in asthma. *BMJ* 2001;323:901-5.
207. Hughes DA, Woodcock A, Walley T. Review of therapeutically equivalent alternatives to short acting beta(2) adrenoceptor agonists delivered via chlorofluorocarbon-containing inhalers. *Thorax* 1999;54:1087-92.
208. Farmer IS, Middle M, Savic J, et al. Therapeutic equivalence of inhaled beclomethasone dipropionate with CFC and non-CFC (HFA 134a) propellants both delivered via the Easibreathe inhaler for the treatment of paediatric asthma. *Respir Med* 2000;94:57-63.

209. Adams N, Cates CJ, Bestall J. Holding chambers versus nebulisers for inhaled steroids in chronic asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
210. Lumry W, Noveck R, Weinstein S, et al. Switching from Ventolin CFC to Ventolin HFA is well tolerated and effective in patients with asthma. *Ann Allergy Asthma Immunol* 2001;86:297-303.
211. Removed in 2005 update.
212. Removed in 2005 update.
213. Wareham NJ, Harrison BD, Jenkins PF, et al. A district confidential enquiry into deaths due to asthma. *Thorax* 1993;48:1117-20.
214. Mohan G, Harrison BD, Badminton RM, et al. A confidential enquiry into deaths caused by asthma in an English health region: implications for general practice. *Br J Gen Pract* 1996;46:529-32.
215. Bucknall CE, Slack R, Godley CC, et al. Scottish Confidential Inquiry into Asthma Deaths (SCIAD), 1994-6. *Thorax* 1999;54:978-84.
216. Burr ML, Davies BH, Hoare A, et al. A confidential inquiry into asthma deaths in Wales. *Thorax* 1999;54:985-9.
217. Accuracy of death certificates in bronchial asthma. Accuracy of certification procedures during the confidential inquiry by the British Thoracic Association. A subcommittee of the BTA Research Committee. *Thorax* 1984;39:505-9.
218. Harrison BDW, Slack R, Berrill WT, et al. Results of a national confidential enquiry into asthma deaths. *Asthma J* 2000;5:180-6.
219. Spitzer WO, Suissa S, Ernst P, et al. The use of beta-agonists and the risk of death and near death from asthma. *N Engl J Med* 1992;32:501-6.
220. Suissa S, Blais L, Ernst P. Patterns of increasing beta-agonist use and the risk of fatal or near-fatal asthma. *Eur Respir J* 1994;7:1602-9.
221. Rea HH, Scragg R, Jackson R, et al. A case-control study of deaths from asthma. *Thorax* 1986;41:833-9.
222. Jalaludin BB, Smith MA, Chey T, et al. Risk factors for asthma deaths: A population-based, case-control study. *Aust NZ J Pub Health* 1999;23:595-600.
223. Richards GN, Kolbe J, Fenwick J, et al. Demographic characteristics of patients with severe life threatening asthma: comparison with asthma deaths. *Thorax* 1993:1105-9.
224. Campbell MJ, Cogman GR, Holgate ST, et al. Age specific trends in asthma mortality in England and Wales, 1983-95: results of an observational study. *BMJ* 1997;314:1439-41.
225. Innes NJ, Reid A, Halstead J, et al. Psychosocial risk factors in near-fatal asthma and in asthma deaths. *J R Coll Physicians Lond* 1998;32:430-4.
226. Khot A, Evans N, Lenney W. Seasonal trends in childhood asthma in south east England. *Br Med J (Clin Res Ed)* 1983;287:1257-8.
227. Kolbe J, Fergusson W, Garrett J. Rapid onset asthma: a severe but uncommon manifestation. *Thorax* 1998;53:241-7.
228. Turner MO, Noerthjojo K, Vedral S, et al. Risk factors for near-fatal asthma. A case-control study in hospitalized patients with asthma. *Am J Respir Crit Care Med* 1998;157:1804-9.
229. Woodruff PG, Emond SD, Singh AK, et al. Sudden-onset severe acute asthma: clinical features and response to therapy. *Acad Emerg Med* 1998;5:695-701.
230. Rodrigo GJ, Rodrigo C. Rapid-onset asthma attack: a prospective cohort study about characteristics and response to emergency department treatment. *Chest* 2000;118:1547-52.
231. Barr RG, Woodruff PG, Clark S, et al. Sudden-onset asthma exacerbations: clinical features, response to therapy, and 2-week follow-up. Multicenter Airway Research Collaboration (MARC) investigators. *Eur Respir J* 2000;15:266-73.
232. Kolbe J, Fergusson W, Vamos M, et al. Case-control study of severe life threatening asthma (SLTA) in adults: demographics, health care, and management of the acute attack. *Thorax* 2000;55:1007-15.
233. Neville E, Gribbin H, Harrison BD. Acute severe asthma. *Respir Med* 1991;85:463-74.
234. Brenner B, Kohn MS. The acute asthmatic patient in the ED: to admit or discharge. *Am J Emerg Med* 1998;16:69-75.
235. Boulet LP, Becker A, Berube D, et al. Canadian asthma consensus report, 1999. Canadian asthma consensus group. *CMAJ* 1999;161:S1-61.
236. Nunn AJ, Gregg I. New regression equations for predicting peak expiratory flow in adults. *BMJ* 1989;298:1068-70.
237. Gibson PG, Coughlan J, Wilson AJ, et al. Self-management and regular practitioner review for adults with asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
238. Abramson MJ, Bailey MJ, Couper FJ, et al. Are asthma medications and management related to deaths from asthma? *Am J Respir Crit Care Med* 2001;163:12-8.
239. Robinson SM, Harrison BD, Lambert MA. Effect of a preprinted form on the management of acute asthma in an accident and emergency department. *J Accid Emerg Med* 1996;13:93-7.
240. Shim CS, Williams MH Jr. Evaluation of the severity of asthma: patients versus physicians. *Am J Med* 1980;68:11-3.
241. Emerman CL, Cydulka RK. Effect of pulmonary function testing on the management of acute asthma. *Arch Intern Med* 1995;155:2225-8.
242. Standardized lung function testing. Report working party. *Bull Eur Physiopathol Respir* 1983;19(Suppl 5):1-95.
243. Carruthers DM, Harrison BD. Arterial blood gas analysis or oxygen saturation in the assessment of acute asthma? *Thorax* 1995;50:186-8.
244. Pearson MG, Spence DP, Ryland I, et al. Value of pulsus paradoxus in assessing acute severe asthma. British Thoracic Society Standards of Care Committee. *BMJ* 1993;307:659.
245. McFadden ER Jr, Lyons HA. Arterial-blood gas tension in asthma. *N Engl J Med* 1968;278:1027-32.
246. Rebusck AS, Read J. Assessment and management of severe asthma. *Am J Med* 1971;51:788-98.
247. Jenkins PF, Benfield GF, Smith AP. Predicting recovery from acute severe asthma. *Thorax* 1981;36:835-41.
248. Molfino NA, Nannini LJ, Martelli AN, et al. Respiratory arrest in near-fatal asthma. *N Engl J Med* 1991;324:285-8.
249. Gleeson JG, Green S, Price JF. Air or oxygen as driving gas for nebulised salbutamol. *Arch Dis Child* 1988;63:900-4.
250. Douglas JG, Rafferty P, Fergusson RJ, et al. Nebulised salbutamol without oxygen in severe acute asthma: how effective and how safe? *Thorax* 1985;40:108-3.
251. McFadden ER Jr. Critical appraisal of the therapy of asthma - an idea whose time has come. *Am Rev Respir Dis* 1986;133:723-4.
252. Rossing TH, Fanta CH, Goldstein DH, et al. Emergency therapy of asthma: comparison of the acute effects of parenteral and inhaled sympathomimetics and infused aminophylline. *Am Rev Respir Dis* 1980;122:365-71.
253. Siegel D, Sheppard D, Gelb A, et al. Aminophylline increases the toxicity but not the efficacy of an inhaled beta-adrenergic agonist in the treatment of acute exacerbations of asthma. *Am Rev Respir Dis* 1985;132:283-6.
254. Travers A, Jones AP, Kelly K, et al. Intravenous beta2-agonists for acute asthma in the emergency department (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
255. Lin RY, Sauter D, Newman T, et al. Continuous versus intermittent albuterol nebulization in the treatment of acute asthma. *Ann Emerg Med* 1993;22:1847-53.
256. Rudnitsky GS, Eberlein RS, Schoffstall JM, et al. Comparison of intermittent and continuously nebulized albuterol for treatment of asthma in an urban emergency department. *Ann Emerg Med* 1993;22:1842-6.
257. Shrestha M, Bidadi K, Gourlay S, et al. Continuous vs intermittent albuterol, at high and low doses, in the treatment of severe acute asthma in adults. *Chest* 1996;110:42-7.
258. Rowe BH, Spooner C, Ducharme FM, et al. Early emergency department treatment of acute asthma with systemic corticosteroids (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
259. Rowe BH, Spooner CH, Ducharme FM, et al. Corticosteroids for preventing relapse following acute exacerbations of asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
260. Manser R, Reid D, Abramson M. Corticosteroids for acute severe asthma in hospitalised patients (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
261. O'Driscoll BR, Kalra S, Wilson M, et al. Double-blind trial of steroid tapering in acute asthma. *Lancet* 1993;341:324-7.
262. Hatton MQ, Vathenen AS, Allen MJ, et al. A comparison of 'abruptly stopping' with 'tailing off' oral corticosteroids in acute asthma. *Respir Med* 1995;89:101-4.
263. Edmonds ML, Camargo CA, Saunders LD, et al. Inhaled steroids in acute asthma following emergency department discharge (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
264. Lanes SF, Garrett JE, Wentworth CE 3rd, et al. The effect of adding ipratropium bromide to salbutamol in the treatment of acute asthma: a pooled analysis of three trials. *Chest* 1998;114:365-72.
265. Rodrigo G, Rodrigo C, Burschtin O. A meta-analysis of the effects of ipratropium bromide in adults with acute asthma. *Am J Med* 1999;107:363-70.
266. Stoodley RG, Aaron SD, Dales RE. The role of ipratropium bromide in the emergency management of acute asthma exacerbation: a meta-analysis of randomized clinical trials. *Ann Emerg Med* 1999;34:8-18.
267. Rowe BH, Bretzlaff JA, Bourdon C, et al. Magnesium sulfate for treating exacerbations of acute asthma in the emergency department (Cochrane Review). In: The Cochrane Library, Issue 2, 2001. Oxford: Update Software.
268. Parameswaran K, Belda J, Rowe BH. Addition of intravenous aminophylline to beta2-agonists in adults with acute asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
269. Graham VA, Milton AF, Knowles GK, et al. Routine antibiotics in hospital management of acute asthma. *Lancet* 1982;1:418-20.

270. Kass JE, Terregino CA. The effect of heliox in acute severe asthma: a randomized controlled trial. *Chest* 1999;116:296-300.
271. Henderson SO, Acharya P, Kilgobian T, et al. Use of heliox-driven nebulizer therapy in the treatment of acute asthma. *Ann Emerg Med* 1999;33:141-6.
272. Meduri GU, Cook TR, Turner RE, et al. Noninvasive positive pressure ventilation in status asthmaticus. *Chest* 1996;110:767-74.
273. Lim KL, Harrison BD. A criterion based audit of inpatient asthma care. Closing the feedback loop. *J R Coll Physicians Lond* 1992;26:71-5.
274. McFadden ER Jr, Elsanadi N, Dixon L, et al. Protocol therapy for acute asthma: therapeutic benefits and cost savings. *Am J Med* 1995;6:651-61.
275. Goldberg R, Chan L, Haley P, et al. Critical pathway for the emergency department management of acute asthma: effect on resource utilization. *Ann Emerg Med* 1998;31:562-7.
276. Udvardia ZF, Harrison BD. An attempt to determine the optimal duration of hospital stay following a severe attack of asthma. *J R Coll Physicians Lond* 1990;24:112-4.
277. Pearson MG, Ryland I, Harrison BD. National audit of acute severe asthma in adults admitted to hospital. Standards of Care Committee, British Thoracic Society. *Qual Health Care* 1995;4:24-30.
278. Emerman CL, Woodruff PG, Cydulka RK, et al. Prospective multicenter study of relapse following treatment for acute asthma among adults presenting to the emergency department. MARC investigators. Multicenter Asthma Research Collaboration. *Chest* 1999;115:919-27.
279. Cowie RI, Revitt SG, Underwood MF, et al. The effect of a peak flow-based action plan in the prevention of exacerbations of asthma. *Chest* 1997;112:1534-8.
280. National asthma task force survey
281. Connett GJ, Lenney W. Use of pulse oximetry in the hospital management of acute asthma in childhood. *Pediatr Pulmonol* 1993;15:345-9.
282. Geelhoed GC, Landau LI, Le Souef PN. Evaluation of SaO₂ as a predictor of outcome in 280 children presenting with acute asthma. *Ann Emerg Med* 1994;23:1236-41.
283. Schuh S, Johnson D, Stephens D, et al. Hospitalization patterns in severe acute asthma in children. *Pediatr Pulmonol* 1997;23:184-92.
284. Wright RO, Santucci KA, Jay GD, et al. Evaluation of pre- and posttreatment pulse oximetry in acute childhood asthma. *Acad Emerg Med* 1997;4:114-7.
285. Brooks LJ, Cloutier MM, Afshani E. Significance of roentgenographic abnormalities in children hospitalized for asthma. *Chest* 1982;82:315-8.
286. Gershel JC, Goldman HS, Stein RE, et al. The usefulness of chest radiographs in first asthma attacks. *N Engl J Med* 1983;309:336-9.
287. McDowell KM, Chatburn RL, Myers TR, et al. A cost-saving algorithm for children hospitalized for status asthmaticus. *Arch Paediatr Adolesc Med* 1998;152:977-84.
288. Schuh S, Parkin P, Rajan A, et al. High-versus low-dose, frequently administered, nebulized albuterol in children with severe, acute asthma. *Pediatrics* 1989;83:513-8.
289. Schuh S, Reider MJ, Canny G, et al. Nebulized albuterol in acute childhood asthma: comparison of two doses. *Pediatrics* 1990;86:509-13.
290. Robertson CF, Smith F, Beck R, et al. Response to frequent low doses of nebulized salbutamol in acute asthma. *J Pediatr* 1985;106:672-4.
291. Schuh S, Johnson DW, Stephens D, et al. Comparison of albuterol delivered by a metered dose inhaler with spacer versus a nebuliser in children with mild acute asthma. *J Pediatr* 1999;135:22-7.
292. Dewar AL, Stewart A, Cogswell JJ, et al. A randomised controlled trial to assess the relative benefits of large volume spacers and nebulisers to treat acute asthma in hospital. *Arch Dis Child* 1999;80:421-3.
293. Powell CV, Maskell GR, Marks MK, et al. Successful implementation of spacer treatment guideline for acute asthma. *Arch Dis Child* 2001;84:142-6.
294. Khine H, Fuchs SM, Saville AL. Continuous vs intermittent nebulized albuterol for emergency management of asthma. *Acad Emerg Med* 1996;3:1019-24.
295. Papo MC, Frank J, Thompson AE. A prospective, randomized study of continuous versus intermittent nebulized albuterol for severe status asthmaticus in children. *Crit Care Med* 1993;21:1479-86.
296. Becker JM, Arora A, Scarfone RJ, et al. Oral versus intravenous corticosteroids in children hospitalized with asthma. *J Allergy Clin Immunol* 1999;103:586-90.
297. Barnett PL, Caputo GL, Baskin M, et al. Intravenous versus oral corticosteroids in the management of acute asthma in children. *Ann Emerg Med* 1997;29:212-7.
298. Langton Hower S, Hobbs J, Reid F, et al. Prednisolone in acute childhood asthma: clinical responses to three dosages. *Respir Med* 1998;92:541-6.
299. McKean M, Ducharme F. Inhaled steroids for episodic viral wheeze of childhood (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
300. Edmonds ML, Camargo CA, Pollack CV, et al. Early use of inhaled steroids in the emergency department treatment of acute asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
301. Schuh S, Reisman J, Alshehri M, et al. A comparison of inhaled fluticasone and oral prednisone for children with severe acute asthma. *N Engl J Med* 2000;343:689-94.
302. Plotnick LH, Ducharme FM. Combined inhaled anticholinergic agents and beta-2-agonists for initial treatment of acute asthma in children (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
303. Goodman DC, Littenberg B, O'Connor GT, et al. Theophylline in acute childhood asthma: a meta-analysis of its efficacy. *Pediatr Pulmonol* 1996;21:211-8.
304. Yung M, South M. Randomised controlled trial of aminophylline for severe acute asthma. *Arch Dis Child* 1998;79:405-10.
305. Graham V, Lasserson T, Rowe BH. Antibiotics for acute asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
306. Ciarallo L, Brousseau D, Reinert S. Higher-dose intravenous magnesium therapy for children with moderate to severe acute asthma. *Arch Pediatr Adolesc Med* 2000;154:979-83.
307. Stormon MO, Mellis CM, Van Asperen PP, et al. Outcome evaluation of early discharge of asthmatic children from hospital: a randomized control trial. *J Qual Clin Pract* 1999;19:149-54.
308. Fox GF, Marsh MJ, Milner AD. Treatment of recurrent acute wheezing episodes in infancy with oral salbutamol and prednisolone. *Eur J Pediatr* 1996;155:512-6.
309. LeSouef PN. Aerosol delivery to wheezy infants: a comparison between a nebulizer and two small volume spacers. *Pediatr Pulmonol* 1997;23:212-6.
310. Rubilar L, Castro-Rodriguez JA, Girardi G. Randomized trial of salbutamol via metered-dose inhaler with spacer versus nebulizer for acute wheezing in children less than 2 years of age. *Pediatr Pulmonol* 2000;29:264-9.
311. Daugbjerg P, Brenoe E, Forchhammer H, et al. A comparison between nebulized terbutaline, nebulized corticosteroid and systemic corticosteroid for acute wheezing in children up to 18 months of age. *Acta Paediatr* 1993;82:547-51.
312. Bentur L, Canny GJ, Shields MD, et al. Controlled trial of nebulized albuterol in children younger than 2 years of age with acute asthma. *Pediatrics* 1992;89:133-7.
313. Prahil P, Petersen NT, Hornsleth A. Beta 2-agonists for the treatment of wheezy bronchitis? *Ann Allergy* 1986;57:439-41.
314. Tal A, Levy N, Bearman JE. Methylprednisolone therapy for acute asthma in infants and toddlers: a controlled clinical trial. *Pediatrics* 1990;86:350-6.
315. Everard ML, Bara A, Kurian M, et al. Anticholinergic drugs for wheeze in children under the age of two years (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
316. Schatz M, Harden K, Forsythe A, et al. The course of asthma during pregnancy, post partum, and with successive pregnancies: a prospective analysis. *J Allergy Clin Immunol* 1988;81:509-17.
317. Schatz M, Zeiger RS, Hoffman CP, et al. Perinatal outcomes in the pregnancies of asthmatic women: a prospective controlled analysis. *Am J Respir Crit Care Med* 1995;151:1170-4.
318. Wendel PJ, Ramin SM, Barnett-Hamm C, et al. Asthma treatment in pregnancy: a randomized controlled study. *Am J Obstet Gynecol* 1996;175:150-4.
319. Juniper EF, Newhouse MT. Effect of pregnancy on asthma - a systematic review and meta-analysis. In: Schatz M, Zeiger RS, Claman HC, editors. Asthma and immunological diseases in pregnancy and early infancy. New York: Marcel Dekker; 1993. p. 401-27.
320. Stenius-Aarniala BS, Hedman J, Terano KA. Acute asthma during pregnancy. *Thorax* 1996;51:411-4.
321. Stenius-Aarniala B, Piirila P, Teramo K. Asthma and pregnancy: a prospective study of 198 pregnancies. *Thorax* 1988;43:12-8.
322. Schatz M. Interrelationships between asthma and pregnancy: a literature review. *J Allergy Clin Immunol* 1999;103:S330-5.
323. Fitzsimons R, Greenberger PA, Patterson R. Outcome of pregnancy in women requiring corticosteroids for severe asthma. *J Allergy Clin Immunol* 1986;78:349-53.
324. Perlow JH, Montgomery D, Morgan MA, et al. Severity of asthma and perinatal outcome. *Am J Obstet Gynecol* 1992;167:964-7.
325. Schatz M, Zeiger RS, Hoffman CP. Intrauterine growth is related to gestational pulmonary function in pregnant asthmatic women. Kaiser-Permanente Asthma and Pregnancy Study Group. *Chest* 1990;98:389-92.
326. Demissie K, Breckenridge MB, Rhoads GG. Infant and maternal outcomes in the pregnancies of asthmatic women. *Am J Respir Crit Care Med* 1998;158:1091-5.

327. Kallen B, Rydhstroem H, Aberg A. Asthma during pregnancy—a population based study. *Eur J Epidemiol* 2000;16:167-71.
328. Cydulka RK, Emerman CL, Schreiber D, et al. Acute asthma among pregnant women presenting to the emergency department. *Am J Respir Crit Care Med* 1999;160:887-92.
329. Department of Health. Why mothers die. Confidential enquiries into maternal deaths in the United Kingdom 1994-96. London: The Stationery Office; 1998. [cited 17 Jul 2002]. Available from url: <http://www.archive.official-documents.co.uk/document/doh/wmd/wmd-hm.htm>
330. Lewis G, editor. Why mothers die 1997-1999. The fifth report of the confidential enquiries into maternal deaths in the United Kingdom 1997-99. London: RCOG Press; 2001. [cited 17 Jul 2002]. Available from url: <http://www.cemd.org.uk/cemdpr.htm>
331. Schatz M, Zeiger RS, Harden K, et al. The safety of asthma and allergy medications during pregnancy. *J Allergy Clin Immunol* 1997;100:301-6.
332. Rayburn WF, Atkinson BD, Gilbert K, et al. Short-term effects of inhaled albuterol on maternal and fetal circulations. *Am J Obstet Gynecol* 1994;171:770-3.
333. Schatz M, Zeiger RS, Harden KM, et al. The safety of inhaled beta-agonist bronchodilators during pregnancy. *J Allergy Clin Immunol* 1988;82:686-95.
334. Mann RD, Kubota K, Pearce G, et al. Salmeterol: a study by prescription-event monitoring in a UK cohort of 15,407 patients. *J Clin Epidemiol* 1996;49:247-50.
335. Greenberger PA, Patterson R. Beclomethasone dipropionate for severe asthma during pregnancy. *Ann Intern Med* 1983;98:478-80.
336. Dombrowski M, Thom E, McNellis D. Maternal-Fetal Medicine Units (MFMU) studies of inhaled corticosteroids during pregnancy. *J Allergy Clin Immunol* 1999;103:S356-9.
337. Dombrowski MP, Brown CL, Berry SM. Preliminary experience with triamcinolone acetonide in pregnancy. *J Matern Fetal Med* 1996;5:310-3.
338. Kallen B, Rydhstroem H, Aberg A. Congenital malformations after the use of inhaled budesonide in early pregnancy. *Obstet Gynecol* 1999;92:292-5.
339. Stenius-Aarniala B, Riikonen S, Teramo K. Slow-release theophylline in pregnant asthmatics. *Chest* 1995;107:642-7.
340. Schatz M. Asthma during pregnancy: interrelationships and management. *Ann Allergy* 1992;68:123-33.
341. Czeizel AE, Rockenbauer M. Population-based case-control study of teratogenic potential of corticosteroids. *Teratology* 1997;56:335-40.
342. Park-Wyllie L, Mazzotta P, Pastuszak A, et al. Birth defects after maternal exposure to corticosteroids: prospective cohort study and meta-analysis of epidemiological studies. *Teratology* 2000;62:385-92.
343. Rodriguez-Pinilla E, Martinez-Frias ML. Corticosteroids during pregnancy and oral clefts: a case-control study. *Teratology* 1998;58:2-5.
344. The use of newer asthma and allergy medications during pregnancy. The American College of Obstetricians and Gynecologists (ACOG) and The American College of Allergy, Asthma and Immunology (ACAAI). *Ann Allergy Asthma Immunol* 2000;84:475-80.
345. Mabie WC, Barton JR, Wasserstrum N, et al. Clinical observations on asthma in pregnancy. *Obstet Gynecol Surv* 1992;47:464-6.
346. Lao TT, Huengsbuerg M. Labour and delivery in mothers with asthma. *Eur J Obstet Gynecol Reprod Biol* 1990;35:183-90.
347. Arad I, Landau H. Adrenocortical reserve of neonates born of long-term, steroid-treated mothers. *Eur J Pediatr* 1984;142:279-80.
348. Gruskay FL. Comparison of breast, cow, and soy feedings in the prevention of onset of allergic disease: a 15-year prospective study. *Clin Pediatr (Phila)* 1982;21:486-91.
349. Saarinen UM, Kajosaari M. Breastfeeding as prophylaxis against atopic disease: prospective follow-up study until 17 years old. *Lancet* 1995;346:1065-9.
350. Turner ES, Greenberger PA, Patterson R. Management of the pregnant asthmatic patient. *Ann Intern Med* 1980;93:905-18.
351. Ost L, Wettrell G, Bjorkhem I, et al. Prednisolone excretion in human milk. *J Paediatr* 1985;106:1008-11.
352. McKenzie SA, Selley JA, Agnew JE. Secretion of prednisolone into breast milk. *Arch Dis Child* 1975;50:894-6.
353. Greenberger PA, Odeh YK, Frederiksen MC, et al. Pharmacokinetics of prednisolone transfer to breast milk. *Clin Pharmacol Ther* 1993;53:324-8.
354. Meredith S, Nordman H. Occupational asthma: measures of frequency from four countries. *Thorax* 1996;51:435-40.
355. Ross DJ. Ten years of the SWORD project. Surveillance of Work-related and Occupational Respiratory Disease. *Clin Exp Allergy* 1999;29:750-3.
356. Hendrick DJ, Burge PS. Asthma. In: Hendrick DJ, Beckett W, Burge PS, Churg A, editors. Occupational disorders of the lung. Recognition, management and prevention. London: WB Saunders; 2002. p. 33-76.
357. Banks DE, Wang ML. Occupational asthma: "the big picture". *Occup Med* 2000;15:335-58.
358. Lundh T, Stahlbom B, Akesson B. Dimethylethylamine in mould core manufacturing: exposure, metabolism, and biological monitoring. *Br J Ind Med* 1991;48:203-7.
359. Malo JL, Ghezzi H, L'Archeveque J, et al. Is the clinical history a satisfactory means of diagnosing occupational asthma? *Am Rev Respir Dis* 1991;143:528-32.
360. Burge PS, Pantin CF, Newton DT, et al. Development of an expert system for the interpretation of serial peak expiratory flow measurements in the diagnosis of occupational asthma. Midlands Thoracic Society Research Group. *Occup Environ Med* 1999;56:758-64.
361. Perrin B, Malo J-L, L'Archeveque J, et al. Comparison of monitoring of peak expiratory flow rates and bronchial responsiveness with specific inhalation challenges in occupational asthma. *Am Rev Respir Dis* 1990;141:A79.
362. Cartier A, Bernstein IL, Burge PS, et al. Guidelines for bronchoprovocation on the investigation of occupational asthma. Report of the Subcommittee on Bronchoprovocation for Occupational Asthma. *J Allergy Clin Immunol* 1989;84:823-9.
363. Chan-Yeung M, MacLean L, Paggiaro PL. Follow-up study of 232 patients with occupational asthma caused by western red cedar (*Thuja plicata*). *J Allergy Clin Immunol* 1987;79:792-6.
364. Malo JL, Cartier A, Ghezzi H, et al. Patterns of improvement in spirometry, bronchial hyperresponsiveness, and specific IgE antibody levels after cessation of exposure in occupational asthma caused by snow-crab processing. *Am Rev Respir Dis* 1988;138:807-12.
365. Gannon PF, Weir DC, Robertson AS, et al. Health, employment, and financial outcomes in workers with occupational asthma. *Brit J Ind Med* 1993;50:491-6.
366. Perfetti L, Cartier A, Ghezzi H, et al. Follow-up of occupational asthma after removal from or diminution of exposure to the responsible agent: relevance of the length of the interval from cessation of exposure. *Chest* 1998;114:393-403.
367. Charlton I, Charlton G, Broomfield J, et al. Audit of the effect of a nurse run asthma clinic on workload and patient morbidity in a general practice. *Br J Gen Pract* 1991;41:227-31.
368. Droogan J, Bannigan K. Organisation of asthma care: what difference does it make? *Nurs Times* 1997;93:45-6.
369. Hoskins G, Neville RG, Smith B, et al. The link between nurse training and asthma outcomes. *Br J Comm Nursing* 1999;4:222-8.
370. Watanabe T, Ohta M, Murata M, et al. Decrease in emergency room or urgent care visits due to management of bronchial asthma inpatients and outpatients with pharmaceutical services. *J Clin Pharm Ther* 1998;23:303-9.
371. Dickinson J, Hutton S, Atkin A, et al. Reducing asthma morbidity in the community: the effect of a targeted nurse-run asthma clinic in an English general practice. *Respir Med* 1997;91:634-40.
372. Lindberg M, Ahlner J, Moller M, et al. Asthma nurse practice - a resource-effective approach in asthma management. *Respir Med* 1999;93:584-8.
373. Heard AR, Richards IJ, Alpers JH, et al. Randomised controlled trial of general practice based asthma clinics. *Med J Aust* 1999;171:68-71.
374. Bryce FP, Neville RG, Crombie IK, et al. Controlled trial of an audit facilitator in diagnosis and treatment of childhood asthma in general practice. *BMJ* 1995;310:838-42.
375. Feder G, Griffiths C, Highton C, et al. Do clinical guidelines introduced with practice based education improve care of asthmatic and diabetic patients? A randomised controlled trial in general practitioners in east London. *BMJ* 1995;311:1473-8.
376. Sommaruga M, Spanevello A, Migliori GB, et al. The effects of a cognitive behavioural intervention in asthmatic patients. *Monaldi Arch Chest Dis* 1995;50:398-402.
377. Cambach W, Wagenaar RC, Koelman TW, et al. The long-term effects of pulmonary rehabilitation in patients with asthma and chronic obstructive pulmonary disease: a research synthesis. *Arch Phys Med Rehabil* 1999;80:103-11.
378. Carswell F, Robinson EJ, Hek G, et al. A Bristol Experience: Benefits and cost of an 'asthma nurse' visiting the home of asthmatic children. *Bristol Med Chir J* 1989;104:11-2.
379. Gibson PG, Wilson AJ. The use of continuous quality improvement methods to implement practice guidelines in asthma. *J Qual Clin Pract* 1996;16:87-102.
380. Neville RG, Hoskins G, Smith B, et al. Observations on the structure, process and clinical outcomes of asthma care in general practice. *Br J Gen Pract* 1996;46:583-7.
381. Smeele IJ, Grol RP, van Schayck CP, et al. Can small group education and peer review improve care for patients with asthma/chronic obstructive pulmonary disease? *Qual Health Care* 1999;8:92-8.
382. Paterson C, Britten N. Organising primary health care for people with asthma: the patient's perspective. *Br J Gen Pract* 2000;50:299-303.

383. Barnes G, Partridge MR. Community asthma clinics: 1993 survey of primary care by the National Asthma Task Force. *Qual Health Care* 1994;3:133-6.
384. Ng TP. Validity of symptom and clinical measures of asthma severity for primary outpatient assessment of adult asthma. *Br J Gen Pract* 2000;50:7-12.
385. Pearson MG, Bucknall CE, editors. Measuring clinical outcome in asthma: a patient-focused approach. London: Royal College of Physicians; 1999.
386. Neville R. Two approaches to effective asthma audit. *Practitioner* 1995;239:203-5.
387. Jones K, Cleary R, Hyland M. Predictive value of a simple asthma morbidity index in a general practice population. *Br J Gen Pract* 1999;49:23-6.
388. Worrall G, Chaugh P, Freake D. The effects of clinical practice guidelines on patient outcomes in primary care: a systematic review. *CMAJ* 1997; 156:1705-12.
389. Integrated care for asthma: a clinical, social, and economic evaluation. Grampian Asthma Study of Integrated Care (GRASSIC). *BMJ* 1994; 308:559-64.
390. Effectiveness of routine self monitoring of peak flow in patients with asthma. Grampian Asthma Study of Integrated Care (GRASSIC). *BMJ* 1994; 308:564-7.
391. Osman LM, Abdalla MI, Russell IT, et al. Integrated care for asthma: matching care to the patient. *Eur Respir J* 1996;9:444-8.
392. Hickman M, Drummond N, Grimshaw J. A taxonomy of shared care for chronic disease. *J Public Health Med* 1994;16:447-54.
393. Munding MO, Kane RL, Lenz ER, et al. Primary care outcomes in patients treated by nurse practitioners or physicians: a randomized trial. *JAMA* 2000;283:59-68.
394. Premaratne UN, Sterne JA, Marks GB, et al. Clustered randomised trial of an intervention to improve the management of asthma: Greenwich asthma study. *BMJ* 1999;318:1251-5.
395. White PT, Pharoah CA, Anderson HR, et al. Randomized controlled trial of small group education on the outcome of chronic asthma in general practice. *J R Coll Gen Pract* 1989;39:182-6.
396. Burr ML, Verrall C, Kaur B. Social deprivation and asthma. *Respir Med* 1997;91:603-8.
397. Rona RJ. Asthma and poverty. *Thorax* 2000;55:239-44.
398. Carey OJ, Cookson JB, Britton J, et al. The effect of lifestyle on wheeze, atopy, and bronchial hyperreactivity in Asian and white children. *Am J Respir Crit Care Med* 1996;154:537-40.
399. Mielck A, Reitmair P, Wjst M. Severity of childhood asthma by socioeconomic status. *Int J Epidemiol* 1996;25:388-93.
400. Griffiths C, Naish J, Sturdy P, et al. Prescribing and hospital admission for asthma in east London. *BMJ* 1996;312:481-2.
401. Higgins BG, Britton JR. Geographical and social class effects on asthma mortality in England and Wales. *Respir Med* 1995;89:341-6.
402. Mowat DHR, McCowan C, Neville RG, et al. Socio-economic status and childhood asthma. *Asthma Gen Pract* 1998;6:9-11.
403. Partridge MR. In what way may race, ethnicity or culture influence asthma outcomes? *Thorax* 2000;55:175-6.
404. Williams MV, Baker DW, Honig EG, et al. Inadequate literacy is a barrier to asthma knowledge and self-care. *Chest* 1999;114:1008-15.
405. Gibson PG, Henry RL, Vimpani GV, et al. Asthma knowledge, attitudes, and quality of life in adolescents. *Arch Dis Child* 1995;73:321-6.
406. Neville RG, McCowan C, Hoskins G, et al. Cross-sectional observations on the natural history of asthma. *Br J Gen Pract* 2001;51:361-5.
407. Dyer CA, Hill SL, Stockley RA, et al. Quality of life in elderly subjects with a diagnostic label of asthma from general practice registers. *Eur Respir J* 1999;14:39-45.
408. Enright PL, McClelland RL, Newman AB, et al. Underdiagnosis and undertreatment of asthma in the elderly. Cardiovascular Health Study Research Group. *Chest* 1999;116:603-13.
409. Beasley R, Cushley M, Holgate ST. A self help management plan in the treatment of adult asthma. *Thorax* 1989;44:200-4.
410. Beilby JJ, Wakefield MA, Ruffin RE. Reported use of asthma management plans in South Australia. *Med J Aust* 1997;166:298-301.
411. Bernard-Bonnin AC, Stachenko S, Bonin D, et al. Self-management teaching programs and morbidity of pediatric asthma: a meta-analysis. *J Allergy Clin Immunol* 1995;95:34-41.
412. Fireman P, Friday GA, Gira C, et al. Teaching self-management skills to asthmatic children and their parents in an ambulatory care setting. *Pediatrics* 1981; 68:341-8.
413. Gallefoss F, Bakke PS. Impact of patient education and self-management on morbidity in asthmatics and patients with chronic obstructive pulmonary disease. *Respir Med* 2000;94:279-87.
414. Gallefoss F, Bakke PS. How does patient education and self-management among asthmatics and patients with chronic obstructive pulmonary disease affect medication? *Am J Respir Crit Care Med* 1999;160:2000-5.
415. Charlton I, Charlton G, Broomfield J, et al. Evaluation of peak flow and symptoms only self management plans for control of asthma in general practice. *BMJ* 1990;301:1355-9.
416. D'Souza W, Burgess C, Ayson M, et al. Trial of "credit card" asthma self-management plan in a high-risk group of patients with asthma. *J Allergy Clin Immunol* 1996;97:1085-92.
417. Hoskins G, Neville RG, Smith B, et al. Do self-management plans reduce morbidity in patients with asthma? *Br J Gen Pract* 1996;46:169-71.
418. Hughes DM, McLeod M, Garner B, et al. Controlled trial of a home and ambulatory program for asthmatic children. *Pediatrics* 1991;87:54-61.
419. Lahdensuo A, Haahntela T, Herrala J, et al. Randomised comparison of guided self management and traditional treatment of asthma over one year. *BMJ* 1996;312:748-52.
420. Maiman LA, Green LW, Gibson G, et al. Education for self-treatment by adult asthmatics. *JAMA* 1979;241:1919-22.
421. Boulet LP, Boutin H, Cote J, et al. Evaluation of an asthma self-management education program. *J Asthma* 1995;32:199-206.
422. Lopez-Vina A, del Castillo-Arevalo E. Influence of peak expiratory flow monitoring on an asthma self-management education programme. *Respir Med* 2000;94:760-6.
423. Jones A, Pill R, Adams S. Qualitative study of views of health professionals and patients on guided self management plans for asthma. *BMJ* 2000;321:1507-10.
424. Clark NM, Nothwehr F. Self-management of asthma by adult patients. *Patient Educ Couns* 1997;32:55-20.
425. Turner MO, Taylor D, Bennett R, et al. A randomized trial comparing peak expiratory flow and symptom self-management plans for patients with asthma attending a primary care clinic. *Am J Respir Crit Care Med* 1998;157:540-6.
426. Osman LM, Abdalla MI, Beattie JA, et al. Reducing hospital admission through computer supported education for asthma patients. *BMJ* 1994;308:568-71.
427. Atherton M. Outcome measures of efficacy associated with a web-enabled asthma self-management programme: findings from a quasi-experiment. *Dis Manag Health Outcomes* 2000;8:233-42.
428. Lieu TA, Capra AM, Quesenberry CP, et al. Computer-based models to identify high-risk adults with asthma: is the glass half empty or half full? *J Asthma* 1999;36:359-70.
429. Bucknall CE, Robertson C, Moran F, et al. Management of asthma in hospital: a prospective audit. *Br Med J (Clin Res Ed)* 1988;296:1637-9.
430. Vollmer WM, O'Hollaren M, Ettinger KM, et al. Specialty differences in the management of asthma. A cross-sectional assessment of allergists' patients and generalists' patients in a large HMO. *Arch Intern Med* 1997;157:1201-8.
431. Pearson MG, Ryland I, Harrison BD. Comparison of the process of care of acute severe asthma in adults admitted to hospital before and 1yr after the publication of national guidelines. *Respir Med* 1996;90:539-45.
432. Neville RG, Clark RC, Hoskins G, et al. National asthma attack audit 1991-2. General Practitioners in Asthma Group. *BMJ* 1993;306:559-62.
433. Neville RG, Hoskins G, Smith B, et al. How general practitioners manage acute asthma attacks. *Thorax* 1997;52:153-6.
434. Beasley R, Miles J, Fishwick D, et al. Management of asthma in the hospital emergency department. *Br J Hosp Med* 1996;55:253-7.
435. Hoskins G, McCowan C, Neville RG, et al. Risk factors and costs associated with an asthma attack. *Thorax* 2000;55:19-24.
436. McDermott MF, Murphy DG, Zalenski RJ, et al. A comparison between emergency diagnostic and treatment unit and inpatient care in the management of acute asthma. *Arch Intern Med* 1997;157:2055-62.
437. Crompton GK, Grant IW. Edinburgh emergency asthma admission service. *BMJ* 1975;20:680-2.
438. Wesseldine LJ, McCarthy P, Silverman M. Structured discharge procedure for children admitted to hospital with acute asthma: a randomised controlled trial of nursing practice. *Arch Dis Child* 1999;80:110-4.
439. Smith E, Alexander V, Booker C, et al. Effect of hospital asthma nurse appointment on inpatient asthma care. *Respir Med* 2000;94:82-6.
440. Levy ML, Robb M, Allen J, et al. A randomized controlled evaluation of specialist nurse education following accident and emergency department attendance for acute asthma. *Respir Med* 2000;94:900-8.
441. Boudreaux ED, Clark S, Camargo CA Jr. Telephone follow-up after the emergency department visit: experience with acute asthma. *Ann Emerg Med* 2000;35:555-63.
442. Mudge P, McColl J, Paton J. Impact of a nurse-led home management training programme in children admitted to hospital with acute asthma: a randomised controlled study. *Thorax* 1997;52:223-8.
443. Cote J, Bowie DM, Robichaud P, et al. Evaluation of two different educational interventions for adult patients consulting with an acute asthma exacerbation. *Am J Respir Crit Care Med* 2001;163:1415-9.

444. Gallefoss F, Bakke PS, Rsgaard PK. Quality of life assessment after patient education in a randomized controlled study on asthma and chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1999;159:812-7.
445. Ignacio-García JM, Gonzalez-Santos P. Asthma self-management education program by home monitoring of peak expiratory flow. *Am J Respir Crit Care Med* 1995;151:353-9.
446. Moudgil H, Marshall T, Honeybourne D. Asthma education and quality of life in the community: a randomised controlled study to evaluate the impact on white European and Indian subcontinent ethnic groups from socioeconomically deprived areas in Birmingham, UK. *Thorax* 2000;55:177-83.
447. George MR, O'Dowd LC, Martin I, et al. A comprehensive educational program improves clinical outcome measures in inner-city patients with asthma. *Arch Intern Med* 1999;159:1710-6.
448. Ghosh CS, Ravindran P, Josh M, et al. Reductions in hospital use from self-management training for chronic asthmatics. *Soc Sci Med* 1998;46:1087-93.
449. Cote J, Cartier A, Robichaud P, et al. Influence of asthma education on asthma severity, quality of life and environmental control. *Can Respir J* 2000;7:395-400.
450. Yoon R, McKenzie DK, Bauman A, et al. Controlled trial evaluation of an asthma education programme for adults. *Thorax* 1993;48:110-6.
451. Haby MM, Waters E, Roberston CF, et al. Interventions for educating children who have attended the emergency room for asthma (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
452. Ayres JG, Campbell LM. A controlled assessment of an asthma self-management plan involving a budesonide dose regimen. OPTIONS Research Group. *Eur Respir J* 1996;9:886-92.
453. Colland VT. Learning to cope with asthma: a behavioural self-management program for children. *Patient Educ Couns* 1993;22:141-52.
454. Wilson SR, Latini D, Starr NJ, et al. Education of parents of infants and very young children with asthma: a developmental evaluation of the Wee Wheezers program. *J Asthma* 1996;33:239-54.
455. Ronchetti R, Indinnimeo L, Bonci E, et al. Asthma self-management programmes in a population of Italian children: a multicentric study. Italian Study Group on Asthma Self-Management Programmes. *Eur Respir J* 1997;10:1248-53.
456. Bailey WC, Kohler CL, Richards JM Jr, et al. Asthma self-management: do patient education programs always have an impact? *Arch Intern Med* 1999;159:2422-8.
457. Cote J, Cartier A, Robichaud P, et al. Influence on asthma morbidity of asthma education programs based on self-management plans following treatment optimization. *Am J Respir Crit Care Med* 1997;155:1509-14.
458. Allen RM, Jones MP, Oldenburg B. Randomised trial of an asthma self-management programme for adults. *Thorax* 1995;50:731-8.
459. Gibson PG, Shah S, Mamoona HA. Peer-led asthma education for adolescents: impact evaluation. *J Adolesc Health* 1998;22:66-72.
460. Sudre P, Jacquemet S, Uldry C, et al. Objectives, methods and content of patient education programmes for adults with asthma: systematic review of studies published between 1979 and 1998. *Thorax* 1999;54:681-7.
461. Rubin DH, Leventhal JM, Sadock RT, et al. Educational intervention by computer in childhood asthma: a randomized clinical trial testing the use of a new teaching intervention in childhood asthma. *Pediatrics* 1986;77:1-10.
462. Homer C, Susskind O, Alpert HR, et al. An evaluation of an innovative multimedia educational software program for asthma management: report of a randomized, controlled trial. *Pediatrics* 2000;106:210-5.
463. Shields MC, Griffin KW, McNabb WL. The effect of a patient education program on emergency room use for inner-city children with asthma. *Am J Public Health* 1990;80:36-8.
464. Greineder DK, Loane KC, Parks P. A randomized controlled trial of a pediatric asthma outreach program. *J Allergy Clin Immunol* 1999;103:436-40.
465. Clark NM, Feldman CH, Evans D, et al. The impact of health education on frequency and cost of health care use by low income children with asthma. *J Allergy Clin Immunol* 1986;78:108-15.
466. Charlton I, Antoniou AG, Atkinson J, et al. Asthma at the interface: bridging the gap between general practice and a district general hospital. *Arch Dis Child* 1994;70:313-8.
467. Kotes H, Bernstein IL, Bernstein DI, et al. A self-management program for adult asthma. Part 1: Development and evaluation. *J Allergy Clin Immunol* 1995;95:529-40.
468. Dolinar RM, Kumar V, Coutu-Wakulczyk G, et al. Pilot study of a home-based asthma health education program. *Patient Educ Couns* 2000;40:93-102.
469. Bartholomew LK, Gold RS, Parcel GS, et al. Watch, Discover, Think, and Act: evaluation of computer-assisted instruction to improve asthma self-management in inner-city children. *Patient Educ Couns* 2000;39:269-80.
470. Wilson SR, Scamagas P, German DF, et al. A controlled trial of two forms of self-management education for adults with asthma. *Am J Med* 1993;94:564-76.
471. Liu C, Feekery C. Can asthma education improve clinical outcomes? An evaluation of a pediatric asthma education program. *J Asthma* 2001;38:269-78.
472. van der Palen J, Klein JJ, Zielhuis GA, et al. Behavioural effect of self-treatment guidelines in a self-management program for adults with asthma. *Patient Educ Couns* 2001;43:161-9.
473. Royal Pharmaceutical Society of Great Britain. From compliance to concordance: achieving shared goals in medicine taking. London: The Society; 1997.
474. Osman LM, Friend JA, Legge JS, et al. Requests for repeat medication prescriptions and frequency of acute episodes in asthma patients. *J Asthma* 1999;36:449-57.
475. Cochrane MC, Bala MV, Downs KE, et al. Inhaled corticosteroids for asthma therapy: patient compliance, devices, and inhalation technique. *Chest* 2000;117:542-50.
476. Jonasson G, Carlsen KH, Sodal A, et al. Patient compliance in a clinical trial with inhaled budesonide in children with mild asthma. *Eur Respir J* 1999;14:150-4.
477. Berg J, Dunbar-Jacob J, Sereika SM. An evaluation of a self-management program for adults with asthma. *Clin Nurs Res* 1997;6:225-38.
478. Braunstein GL, Trinquet G, Harper AE. Compliance with nedocromil sodium and a nedocromil sodium/salbutamol combination. Compliance Working Group. *Eur Respir J* 1996;9:893-8.
479. Bosley CM, Fosbury JA, Cochrane GM. The psychological factors associated with poor compliance with treatment in asthma. *Eur Respir J* 1995;8:899-904.
480. Garrett J, Fenwick JM, Taylor G, et al. Peak expiratory flow meters (PEFMs)—who uses them and how and does education affect the pattern of utilisation? *Aust N Z J Med* 1994;24:521-9.
481. Redline S, Wright EC, Kattan M, et al. Short-term compliance with peak flow monitoring: results from a study of inner city children with asthma. *Pediatr Pulmonol* 1996;21:203-10.
482. Bosley CM, Parry DT, Cochrane GM. Patient compliance with inhaled medication: does combining beta-agonists with corticosteroids improve compliance? *Eur Respir J* 1994;7:504-9.
483. van Grunsven PM, van Schayck CP, van Deuveren M, et al. Compliance during long-term treatment with fluticasone propionate in subjects with early signs of asthma or chronic obstructive pulmonary disease (COPD): results of the Detection, Intervention, and Monitoring Program of COPD and Asthma (DIMCA) Study. *J Asthma* 2000;37:225-34.
484. Abdulwadud O, Abramson M, Forbes A, et al. Attendance at an asthma educational intervention: characteristics of participants and non-participants. *Respir Med* 1997;91:524-9.
485. Huss K, Salerno M, Huss RW. Computer-assisted reinforcement of instruction: effects on adherence in adult atopic asthmatics. *Res Nurs Health* 1991;14:259-67.
486. Clark NM, Gong M, Schork MA, et al. Impact of education for physicians on patient outcomes. *Pediatrics* 1998;101:831-6.
487. Haynes RB, McDonald H, Garg AX, et al. Interventions for helping patients to follow prescriptions for medications (Cochrane Review). In: The Cochrane Library, Issue 3, 2001. Oxford: Update Software.
488. Schraa JC, Dirks JF. Improving patient recall and comprehension of the treatment regimen. *J Asthma* 1982;19:159-62.
489. Grimshaw JM, Russell IT. Achieving health gain through clinical guidelines II: Ensuring guidelines change medical practice. *Qual Health Care* 1994;3:45-52.
490. Barritt PW, Staples EB. Measuring success in asthma care: a repeat audit. *Br J Gen Pract* 1991;41:232-6.
491. Adams RJ, Smith BJ, Ruffin RE. Impact of the physician's participatory style in asthma outcomes and patient satisfaction. *Ann Allergy Asthma Immunol* 2001;86:263-71.
492. Neville RG, Bryce FP, Clark RA, et al. The use of children's medical records to predict the risk of asthma attack. *Scott Med J* 1995;40:138-40.
493. Levy M, Bell L. General practice audit of asthma in childhood. *BMJ* 1984;289:1115-6.
494. Agertoft L, Pedersen S. Effects of long-term treatment with an inhaled corticosteroid on growth and pulmonary function in asthmatic children. *Respir Med* 1994;88:373-81.
495. Long term effects of budesonide or nedocromil in children with asthma. The Childhood Asthma Management Program Research Group. *N Engl J Med* 2000;343:1054-63.
496. Greineder DK, Loane KC, Parks P. Reduction in resource utilization by an asthma outreach program. *Arch Pediatr Adolesc Med* 1995;149:415-20.

497. Groban MD, Evans RM, Edgren B, et al. Clinical benefits and cost reduction associated with a comprehensive asthma management programme at a managed care organisation. *Dis Manag Health Outcomes* 1998;4:93-100.
498. Mayo PH, Richman J, Harris HW. Results of a program to reduce admissions for adult asthma. *Ann Intern Med* 1990;112:864-71.
499. Baldwin DR, Ormerod LP, Mackay AD, et al. Changes in hospital management of acute severe asthma by thoracic and general physicians in Birmingham and Manchester during 1978 and 1985. *Thorax* 1990;45:130-4.
500. Bucknall CE, Robertson C, Moran F, et al. Differences in hospital asthma management. *Lancet* 1988;1:748-50.
501. Bell D, Layton AJ, Gabbay J. Use of a guideline based questionnaire to audit hospital care of acute asthma. *BMJ* 1991;302:1440-3.
502. Alcock SM, Mamun M, Prescott RJ, et al. Symptoms and pulmonary function in asthma. *Respir Med* 1998;92:849-57.
503. Jones KP, Bain DJ, Middleton M, et al. Correlates of asthma morbidity in primary care. *BMJ* 1992;304:361-4.
504. Rimington LD, Davies DH, Lowe D, et al. Relationship between anxiety, depression, and morbidity in adult asthma patients. *Thorax* 2001;56:266-71.
505. Juniper EF, O'Byrne PM, Ferrie PJ, et al. Measuring asthma control. Clinic questionnaire or daily diary? *Am J Respir Crit Care Med* 2000;162:1330-4.
506. Jones KP, Charlton IH, Middleton M, et al. Targeting asthma care in general practice using a morbidity index. *BMJ* 1992;304:1353-9.
507. Connolly CK, Prescott RJ, Alcock SM, et al. Actual over best function as an outcome measure in asthma. *Respir Med* 1994;88:453-9.
508. Suissa S, Ernst P. Inhaled corticosteroids: impact on asthma morbidity and mortality. *J Allergy Clin Immunol* 2001;107:937-44.
509. Pinnock H, Johnson A, Young P, et al. Are doctors still failing to assess and treat asthma attacks? An audit of the management of acute attacks in a health district. *Respir Med* 1999;93:397-401.
510. Zeiger RS, Heller S, Mellon MH, et al. Facilitated referral to asthma specialist reduces relapses in asthma emergency room visits. *J Allergy Clin Immunol* 1991;87:1160-8.
511. Coonar AS, Nayeem N, Bonell CP, et al. Adult asthma assessment in an accident & emergency department. *J R Soc Med* 1994;87:330.
512. Osman J, Ormerod P, Stableforth D. Management of acute asthma: a survey of hospital practice and comparison between thoracic and general physicians in Birmingham and Manchester. *Br J Dis Chest* 1987;81:232-41.
513. Mathur R, Clark RA, Dhillion DP, et al. Reaudit of acute asthma admissions using a severity marker stamp and determinants of an outcome measure. *Scott Med J* 1997;42:49-52.
514. Kelly CS, Andersen CL, Pestian JP, et al. Improved outcomes for hospitalized asthmatic children using a clinical pathway. *Ann Allergy Asthma Immunol* 2000;84:509-16.
515. Bucknall CE, Ryland I, Cooper A, et al. National benchmarking as a support system for clinical governance. *J Roy Coll Physicians Lond* 2000;34:52-6.
516. Slack R, Bucknall CE. Readmission rates are associated with differences in the process of care in acute asthma. *Qual Health Care* 1997;6:194-8.
517. Bisgaard H, Moller H. Changes in risk of hospital readmission among asthmatic children in Denmark, 1978-93. *BMJ* 1999;319:229-30.
518. Pharmacological management of asthma. Evidence table 4.19: allergic bronchopulmonary aspergillosis. Edinburgh: SIGN, 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
519. Pharmacological management of asthma. Evidence table 4.4j: do cromones work as first line preventor in children > 5 years? Edinburgh: SIGN, 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html#section4.html>
520. Removed in 2005 update.
521. Pharmacological management of asthma. Evidence table 4.15: Mometasone Furoate dry powder inhalation evidence Edinburgh: SIGN, 2002. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html#section4.html>
522. Montnemery P, Hansson L, Lanke J, et al. Accuracy of a first diagnosis of asthma in primary health care. *Fam Pract* 2002;19(4):365-8.
523. Aggarwal AN, Gupta D, Kumar V, et al. Assessment of diurnal variability of peak expiratory flow in stable asthmatics. *J Asthma* 2002;39(6):487-91.
524. Lewis SA, Weiss ST, Britton JR. Airway reponsiveness and peak flow variability in the diagnosis of asthma for epidemiological studies. *Eur Respir J* 2001;18(6):921-7.
525. Hunter CJ, Brightling CE, Woltmann G, et al. A comparison of the validity of different diagnostic tests in adults with asthma. *Chest* 2002;121(4):1051-7.
526. O'Byrne PM, Barnes PJ, Rodriguez-Roisin R, et al. Low dose inhaled budesonide and formoterol in mild persistent asthma: the OPTIMA randomized trial. *Am J Respir Crit Care Med* 2001;164(8 Pt 1):1392-7.
527. Pauwels RA, Pedersen S, Busse WW, et al. Early intervention with budesonide in mild persistent asthma: a randomised, double-blind trial. *Lancet* 2003;361(9363):1071-6.
528. Jones A, Fay JK, Burr M, et al. Inhaled corticosteroid effects on bone metabolism in asthma and mild chronic obstructive pulmonary disease (Cochrane Review). In: The Cochrane Library, Issue 1, 2003. Chichester, UK: John Wiley & Sons, Ltd.
529. Salmeterol (Severant) and formoterol (Oxis) in asthma management. *Curr Probl Pharmacovigilance* 2003;29:5. [cited 17 Dec 2003]. Available from url: <http://www.mca.gov.uk/ourwork/monitorsafequalmed/currentproblems/cpsept2003.pdf>
530. Hawkins G, McMahon AD, Twaddle S, et al. Stepping down inhaled corticosteroids in asthma: randomised controlled trial. *BMJ* 2003;326(7399):1115.
531. Innes NJ, Stocking JA, Daynes TJ, et al. Randomised pragmatic comparison of UK and US treatment of acute asthma presenting to hospital. *Thorax* 2002;57(12):1040-4.
532. Gregg I, Nunn AJ. Peak expiratory flow in normal subjects. *Br Med J* 1973;3(5874):282-4.
533. Evans D, Mellins R, Lobach K, et al. Improving care for minority children with asthma: professional education in public health clinics. *Pediatrics* 1997;99(2):157-64.
534. Pinnock H, Bawden R, Proctor S, et al. Accessibility, acceptability, and effectiveness in primary care of routine telephone review of asthma: pragmatic, randomised controlled trial. *BMJ* 2003;326(7387):477-9.
535. Sondergaard J, Andersen M, Vach K, et al. Detailed postal feedback about prescribing to asthma patients combined with a guideline statement showed no impact: a randomised controlled trial. *Eur J Clin Pharmacol* 2002;58(2):127-32.
536. Ram FSF, Jones A, Fay JK. Primary care based clinics for asthma (Cochrane Review). In: The Cochrane Library, Issue 1, 2003. Chichester, UK: John Wiley & Sons, Ltd.
537. Bernsten C, Bjorkman I, Caramona M, et al. Improving the well-being of elderly patients via community pharmacy-based provision of pharmaceutical care: a multicentre study in seven European countries. *Drugs Aging* 2001;18(1):63-77.
538. Schulz M, Verheyen F, Muhlig S, et al. Pharmaceutical care services for asthma patients: a controlled intervention study. *J Clin Pharmacol* 2001;41(6):668-76.
539. Cordina M, McElnay JC, Hughes CM. Assessment of a community pharmacy-based program for patients with asthma. *Pharmacotherapy* 2001;21(10):1196-203.
540. Griffiths C, Kaur G, Gantley M, et al. Influences on hospital admission for asthma in south Asian and white adults: qualitative interview study. *BMJ* 2001;323(7319):962-6.
541. Grant C, Nicholas R, Moore L, et al. An observational study comparing quality of care in walk-in centres with general practice and NHS Direct using standardised patients. *BMJ* 2002;324(7353):1556.
542. Osman LM, Calder C, Godden DJ, et al. A randomised trial of self-management planning for adult patients admitted to hospital with acute asthma. *Thorax* 2002;57(10):869-74.
543. Stevens CA, Wesseldine LJ, Couriel JM, et al. Parental education and guided self-management of asthma and wheezing in the pre-school child: a randomised controlled trial. *Thorax* 2002;57(1):39-44.
544. Sin DD, Bell NR, Svenson LW, et al. The impact of follow-up physician visits on emergency readmissions for patients with asthma and chronic obstructive pulmonary disease: a population-based study. *Am J Med* 2002;112(2):120-5.
545. Wolf FM, Guevara JP, Grum CM, et al. Educational interventions for asthma in children (Cochrane Review). In: The Cochrane Library, Issue 1, 2003. Chichester, UK: John Wiley & Sons, Ltd.
546. Guendelman S, Meade K, Benson M, et al. Improving asthma outcomes and self-management behaviors of inner-city children: a randomized trial of the Health Buddy interactive device and an asthma diary. *Arch Pediatr Adolesc Med* 2002;156(2):114-20.
547. No reference
548. Shah S, Peat JK, Mazurski EJ, et al. Effect of peer led programme for asthma education in adolescents: cluster randomised controlled trial. *BMJ* 2001;322(7286):583-5.
549. Thoonen BP, Schermer TR, Van den Boom G, et al. Self-management of asthma in general practice, asthma control and quality of life: a randomised controlled trial. *Thorax* 2003;58(1):30-6.
550. Couturaud F, Proust A, Frachon I, et al. Education and self-management: a one-year randomized trial in stable adult asthmatic patients. *J Asthma* 2002;39(6):493-500.
551. Cowie RL, Underwood MF, Little CB, et al. Asthma in adolescents: a randomized, controlled trial of an asthma program for adolescents and young adults with severe asthma. *Can Respir J* 2002;9(4):253-9.

552. Marabini A, Brugnami G, Curradi F, et al. Short-term effectiveness of an asthma educational program: results of a randomized controlled trial. *Respir Med* 2002;96(12):993-8.
553. Morice AH, Wrench C. The role of the asthma nurse in treatment compliance and self-management following hospital admission. *Respir Med* 2001;95(11):851-6.
554. Perneger TV, Sudre P, Muntner P, et al. Effect of patient education on self-management skills and health status in patients with asthma: a randomized trial. *Am J Med* 2002;113(1):7-14.
555. van der Palen J, Klein JJ, Zielhuis GA, et al. Behavioural effect of self-treatment guidelines in a self-management program for adults with asthma. *Patient Educ Couns* 2001;43(2):161-9.
556. Klein JJ, van der Palen J, Uil SM, et al. Benefit from the inclusion of self-treatment guidelines to a self-management programme for adults with asthma. *Eur Respir J* 2001;17(3):386-94.
557. Kauppinen R, Viikka V, Sintonen H, et al. Long-term economic evaluation of intensive patient education during the first treatment year in newly diagnosed adult asthma. *Respir Med* 2001;95(1):56-63.
558. Lefevre F, Piper M, Weiss K, et al. Do written action plans improve patient outcomes in asthma? An evidence-based analysis. *J Fam Pract* 2002;51(10):842-8.
559. Toelle BG, Ram FSF. Written individualised management plans for asthma in children and adults (Cochrane Review). In: *The Cochrane Library*, Issue 1, 2003. Chichester, UK: John Wiley & Sons, Ltd.
560. Cote J, Bowie DM, Robichaud P, et al. Evaluation of two different educational interventions for adult patients consulting with an acute asthma exacerbation. *Am J Respir Crit Care Med* 2001;163(6):1415-9.
561. Adams RJ, Boath K, Homan S, et al. A randomized trial of peak-flow and symptom-based action plans in adults with moderate-to-severe asthma. *Respirology* 2001;6(4):297-304.
562. Yoos HL, Kitzman H, McMullen A, et al. Symptom monitoring in childhood asthma: a randomized clinical trial comparing peak expiratory flow rate with symptom monitoring. *Ann Allergy Asthma Immunol* 2002;88(3):283-91.
563. van Es SM, Nagelkerke AF, Colland VT, et al. An intervention programme using the ASE-model aimed at enhancing adherence in adolescents with asthma. *Patient Educ Couns* 2001;44(3):193-203.
564. No reference
565. Brown JV, Bakeman R, Celano MP, et al. Home-based asthma education of young low-income children and their families. *J Pediatr Psychol* 2002;27(8):677-88.
566. Burkhart PV, Dunbar-Jacob JM, Fireman P, et al. Children's adherence to recommended asthma self-management. *Pediatr Nurs* 2002;28(4):409-14.
567. Kamps AW, Roorda RJ, Brand PL. Peak flow diaries in childhood asthma are unreliable. *Thorax* 2001;56(3):180-2.
568. Edwards A, Holgate S, Howell J, et al. Sodium cromoglycate in childhood asthma. *Thorax* 2001;56(4):331-2.
569. Edwards A, Stevens M, Holgate S, et al. Inhaled sodium cromoglycate in children with asthma. *Thorax* 2002;57(3):282.
570. Newman Taylor AJ, Nicholson PJ, editors. Guidelines for the prevention, identification and management of occupational asthma: Evidence review and recommendations. London: British Occupational Health Research Foundation; 2004. [cited 9 May 2005]. Available from url: <http://www.bohrf.org.uk/downloads/asthvre.pdf>
571. Dunlop KA, Carson DJ, Steen HJ, et al. Monitoring growth in asthmatic children treated with high dose inhaled glucocorticoids does not predict adrenal suppression. *Arch Dis Child* 2004;89(8):713-6.
572. Pharmacological management of asthma. Evidence table 4.24a: Other preventor therapies - Chromones in children aged 5-12. Edinburgh: SIGN; 2005. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
573. Pharmacological management of asthma. Evidence table 4.24b: Other preventor therapies - Chromones in children aged <5. Edinburgh: SIGN; 2005. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
574. Westby M, Benson M, Gibson P. Anticholinergic agents for chronic asthma in adults (Cochrane Review). In: *The Cochrane Library*, Issue 3, 2004. Chichester, UK: John Wiley & Sons, Ltd.
575. Foresti A, Morelli MC, Catena E. Low-dose budesonide with the addition of an increased dose during exacerbations is effective in long-term asthma control. On behalf of the Italian Study Group. *Chest* 2000;117(2):440-6.
576. Wark PAB, Gibson PG, Wilson AJ. Azoles for allergic bronchopulmonary aspergillosis associated with asthma (Cochrane Review). In: *The Cochrane Library*, Issue 3, 2004. Chichester, UK: John Wiley & Sons, Ltd.
577. Delgado A, Chou KJ, Silver E, et al. Nebulizers vs metered-dose inhalers with spacers for bronchodilator therapy to treat wheezing in children aged 2 to 24 months in a pediatric emergency department. *Arch Pediatr Adolesc Med* 2003;157(1):76-80.
578. Broeders M, Molema J, Hop WCJ, et al. Does the inhalation device affect the bronchodilatory dose response curve of salbutamol in asthma and chronic obstructive pulmonary disease patients? *Eur J Clin Pharmacol* 2003;59(5-6):449-55.
579. De Benedictis FM, Boner A, Cavagni G, et al. Treating asthma in children with beclomethasone dipropionate: Pulvinol versus Diskhaler. *J Aerosol Med* 2000;13:35-41.
580. Inhaler devices. Evidence table 5.3: In stable asthma are inhaled corticosteroids best delivered by pressurised metered dose inhaler (pMDI), other hand held inhalers or nebuliser in adults and children? Edinburgh: SIGN; 2005. Available from url: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>
581. Gross G, Cohen RM, Guy H. Efficacy response of inhaled HFA-albuterol delivered via the breath-actuated Autohaler inhalation device is comparable to dose in patients with asthma. *J Asthma* 2003;40(5):487-95.
582. Gustafsson P, Kallman S, Whitehead PJ. Clinical equivalence between salbutamol hydrofluoroalkane pMDI and salbutamol Turbuhaler at the same cumulative microgram doses in paediatric patients. *Respir Med* 2002;96(11):957-9.
583. Hawksworth RJ, Sykes AP, Faris M, et al. Albuterol HFA is as effective as albuterol CFC in preventing exercise-induced bronchoconstriction. *Ann Allergy Asthma Immunol* 2002;88(5):473-7.
584. Shapiro G, Bronsky E, Murray A, et al. Clinical comparability of ventolin formulated with hydrofluoroalkane or conventional chlorofluorocarbon propellants in children with asthma. *Arch Pediatr Adolesc Med* 2000;154(12):1219-25.
585. Shapiro GS, Klinger NM, Ekholm BP, et al. Comparable bronchodilation with hydrofluoroalkane-134a (HFA) albuterol and chlorofluorocarbon-11/12 (CFC) albuterol in children with asthma. *J Asthma* 2000;37(8):667-75.
586. Anderson PB, Langley SJ, Mooney P, et al. Equivalent efficacy and safety of a new HFA-134a formulation of BDP compared with the conventional CFC in adult asthmatics. *J Investig Allergol Clin Immunol* 2002;12:107-13.
587. Lee TL, Adler L, McLaren G, et al. Assessment of efficacy and systemic safety of a new chlorofluorocarbon-free formulation of inhaled beclomethasone dipropionate in asthmatic children. *Pediatr Asthma Allergy Immunol* 2001;15(3):133-43.
588. Vondra V, Sladek K, Kotasova J, et al. A new HFA-134a propellant in the administration of inhaled BDP via the Jet spacer: controlled clinical trial vs the conventional CFC. *Respir Med* 2002;96(10):784-9.
589. Ederle K, Multicentre Study Group. Improved control of asthma symptoms with a reduced dose of HFA-BDP extrafine aerosol: an open-label, randomised study. *Eur Rev Med Pharmacol Sci* 2003;7(2):45-55.
590. Fireman P, Prenner BM, Vincken W, et al. Long-term safety and efficacy of a chlorofluorocarbon-free beclomethasone dipropionate extrafine aerosol. *Ann Allergy Asthma Immunol* 2001;86(5):557-65.
591. Pedersen S, Warner J, Wahn U, et al. Growth, systemic safety, and efficacy during 1 year of asthma treatment with different beclomethasone dipropionate formulations: an open-label, randomized comparison of extrafine and conventional aerosols in children. *Pediatrics*. 2002;109(6):e92.
592. Szefer SJ, Warner J, Staab D, et al. Switching from conventional to extrafine aerosol beclomethasone dipropionate therapy in children: a 6-month, open-label, randomized trial. *J Allergy Clin Immunol* 2002;110(1):45-50.
593. Ayres JG, Millar AB, Sykes AP. Clinical efficacy and safety of fluticasone propionate 1 mg twice daily administered via a HFA 134a pressurized metered dose inhaler to patients with severe asthma. *Respir Med* 2000;94(SUPPL. B):S42-S50.
594. Fowler SJ, Orr LC, Sims EJ, et al. Therapeutic ratio of hydrofluoroalkane and chlorofluorocarbon formulations of fluticasone propionate. *Chest*. 2002;122(2):618-23.
595. Langley SJ, Holden J, Derham A, et al. Fluticasone propionate via the Diskhaler or hydrofluoroalkane-134a metered-dose inhaler on methacholine-induced airway hyperresponsiveness. *Chest*. 2002;122(3):806-11.
596. Lytle B, Gilles J, Panov M, et al. Fluticasone propionate 100 microg bid using a non-CFC propellant, HFA 134a, in asthmatic children. *Can Respir J* 2003;10(2):103-9.
597. Perruchoud AP, Lundback B, Yigla M, et al. Clinical efficacy and safety of fluticasone propionate 1 mg per day administered via a HFA 134a pressurized metered dose inhaler to patients with moderate to severe asthma. *Respir Med* 2000;94(SUPPL. B):S35-S41.
598. Glasgow NJ, Ponsonby AL, Yates R, et al. Proactive asthma care in childhood: general practice based randomised controlled trial. *BMJ* 2003;327(7416):659.
599. Kemple T, Rogers C. A mailed personalised self-management plan improves attendance and increases patients' understanding of asthma. *Prim Care Respir J* 2003;12(4):110-4.

- 600 Blanc PD, Toren K. How much adult asthma can be attributed to occupational factors? *Am J Med* 1999;107(6):580-7.
- 601 Balmes J, Becklake M, Blanc P, et al. American Thoracic Society Statement: Occupational contribution to the burden of airway disease. *Am J Respir Crit Care Med* 2003;167(5):787-97.
- 602 Ameille J, Pauli G, Calastreng-Crinquand A, et al. Reported incidence of occupational asthma in France, 1996-99: the ONAP programme. *Occup Environ Med* 2003;60(2):136-41.
- 603 Brhel P. Occupational respiratory diseases in the Czech Republic. *Ind Health* 2003;41(2):121-3.
- 604 Cortona G, Pisati G, Dellabianca A, et al. Respiratory occupational allergies: the experience of the Hospital Operative Unit of Occupational Medicine in Lombardy from 1990 to 1998 [Italian]. *G Ital Med Lav Ergon* 2001;23(1):64-70.
- 605 Gannon PF, Burge PS. The SHIELD scheme in the West Midlands Region, United Kingdom. Midland Thoracic Society Research Group. *Br J Ind Med* 1993;50(9):791-6.
- 606 Hnizdo E, Esterhuizen TM, Rees D, et al. Occupational asthma as identified by the Surveillance of Work-related and Occupational Respiratory Diseases programme in South Africa. *Clin Exp Allergy* 2001;31(1):32-9.
- 607 McDonald JC, Keynes HL, Meredith SK. Reported incidence of occupational asthma in the United Kingdom, 1989-97. *Occup Environ Med* 2000;57(12):823-9.
- 608 Meredith SK, Taylor VM, McDonald JC. Occupational respiratory disease in the United Kingdom 1989: a report to the British Thoracic Society and the Society of Occupational Medicine by the SWORD project group. *Br J Ind Med* 1991;48(5):292-8.
- 609 Meyer JD, Holt DL, Cherry NM, et al. SWORD '98: surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond)* 1999;49(8):485-9.
- 610 Sallie BA, Ross DJ, Meredith SK, et al. SWORD '93. Surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond)* 1994;44(4):177-82.
- 611 Toren K, Jarvholm B, Brisman J, et al. Adult-onset asthma and occupational exposures. *Scand J Work Environ Health* 1999;25(5):430-5.
- 612 Karjalainen A, Kurppa K, Martikainen R, et al. Exploration of asthma risk by occupation—extended analysis of an incidence study of the Finnish population. *Scand J Work Environ Health* 2002;28(1):49-57.
- 613 Reijula K, Haahela T, Klaukka T, et al. Incidence of occupational asthma and persistent asthma in young adults has increased in Finland. *Chest* 1996;110(1):58-61.
- 614 Jaakkola JJ, Piipari R, Jaakkola MS. Occupation and asthma: a population-based incident case-control study. *Am J Epidemiol* 2003;158(10):981-7.
- 615 Johnson AR, Dimich-Ward HD, Manfreda J, et al. Occupational asthma in adults in six Canadian communities. *Am J Respir Crit Care Med* 2000;162(6):2058-62.
- 616 Kogevinas M, Anto JM, Soriano JB, et al. The risk of asthma attributable to occupational exposures. A population-based study in Spain. Spanish Group of the European Asthma Study. *Am J Respir Crit Care Med* 1996;154(1):137-43.
- 617 Kogevinas M, Anto JM, Sunyer J, et al. Occupational asthma in Europe and other industrialised areas: a population-based study. European Community Respiratory Health Survey Study Group. *Lancet* 1999;353(9166):1750-4.
- 618 Bright P, Newton DT, Gannon PF, et al. OASYS-3: improved analysis of serial peak expiratory flow in suspected occupational asthma. *Monaldi Arch Chest Dis* 2001;56(3):281-8.
- 619 Burge PS. Occupational asthma in electronics workers caused by colophony fumes: follow-up of affected workers. *Thorax* 1982;37(5):348-53.
- 620 Cote J, Kennedy S, Chan-Yeung M. Sensitivity and specificity of PC20 and peak expiratory flow rate in cedar asthma. *J Allergy Clin Immunol* 1990;85(3):592-8.
- 621 Leroyer C, Perfetti L, Trudeau C, et al. Comparison of serial monitoring of peak expiratory flow and FEV1 in the diagnosis of occupational asthma. *Am J Respir Crit Care Med* 1998;158(3):827-32.
- 622 Liss GM, Tarlo SM. Peak expiratory flow rates in possible occupational asthma. *Chest* 1991;100(1):63-9.
- 623 Malo JL, Cote J, Cartier A, et al. How many times per day should peak expiratory flow rates be assessed when investigating occupational asthma? *Thorax* 1993;48(12):1211-7.
- 624 Axon EJ, Beach JR, Burge PS. A comparison of some of the characteristics of patients with occupational and non-occupational asthma. *Occup Med (Lond)* 1995;45(2):109-11.
- 625 Baur X, Huber H, Degens PO, et al. Relation between occupational asthma case history, bronchial methacholine challenge, and specific challenge test in patients with suspected occupational asthma. *Am J Ind Med* 1998;33(2):114-22.
- 626 Koskela H, Taivainen A, Tukiainen H, et al. Inhalation challenge with bovine dander allergens: who needs it? *Chest* 2003;124(1):383-91.
- 627 Malo JL, Ghezzi H, L'Archeveque J, et al. Is the clinical history a satisfactory means of diagnosing occupational asthma? *Am Rev Respir Dis* 1991;143(3):528-32.
- 628 Malo JL, Lemiere C, Desjardins A, et al. Prevalence and intensity of rhinoconjunctivitis in subjects with occupational asthma. *Eur Respir J* 1997;10(7):1513-5.
- 629 Ricciardi L, Fedele R, Saitta S, et al. Occupational asthma due to exposure to iroko wood dust. *Ann Allergy Asthma Immunol* 2003;91(4):393-7.
- 630 Vandenplas O, Binard-Van Cangh F, Brumagne A, et al. Occupational asthma in symptomatic workers exposed to natural rubber latex: evaluation of diagnostic procedures. *J Allergy Clin Immunol* 2001;107(3):542-7.
- 631 Cote J, Kennedy S, Chan-Yeung M. Quantitative versus qualitative analysis of peak expiratory flow in occupational asthma. *Thorax* 1993;48(1):48-51.
- 632 Perrin B, Lagier F, L'Archeveque J, et al. Occupational asthma: validity of monitoring of peak expiratory flow rates and non-allergic bronchial responsiveness as compared to specific inhalation challenge. *Eur Respir J* 1992;5(1):40-8.
- 633 Gannon PF, Newton DT, Belcher J, et al. Development of OASYS-2: a system for the analysis of serial measurement of peak expiratory flow in workers with suspected occupational asthma. *Thorax* 1996;51(5):484-9.
- 634 Baldwin DR, Gannon P, Bright P, et al. Interpretation of occupational peak flow records: level of agreement between expert clinicians and Oasys-2. *Thorax* 2002;57(10):860-4.
- 635 Anees W, Huggins V, Pavord ID, et al. Occupational asthma due to low molecular weight agents: eosinophilic and non-eosinophilic variants. *Thorax* 2002;57(3):231-6.
- 636 Brisman J, Lillienberg L, Belin L, et al. Sensitisation to occupational allergens in bakers' asthma and rhinitis: a case-referent study. *Int Arch Occup Environ Health* 2003;76(2):167-70.
- 637 Cartier A, Grammer L, Malo JL, et al. Specific serum antibodies against isocyanates: association with occupational asthma. *J Allergy Clin Immunol* 1989;84(4 Pt 1):507-14.
- 638 Hargreave FE, Ramsdale EH, Pugsley SO. Occupational asthma without bronchial hyperresponsiveness. *Am Rev Respir Dis* 1984;130(3):513-5.
- 639 Koskela H, Taivainen A, Tukiainen H, Chan HK. Inhalation challenge with bovine dander allergens: who needs it? *Chest* 2003;124(1):383-91.
- 640 Lemiere C, Cartier A, Malo JL, et al. Persistent specific bronchial reactivity to occupational agents in workers with normal nonspecific bronchial reactivity. *Am J Respir Crit Care Med* 2000;162(3 Pt 1):976-80.
- 641 Lin FJ, Chen H, Chan-Yeung M. New method for an occupational dust challenge test. *Occup Environ Med* 1995;52(1):54-6.
- 642 Merget R, Schultze-Werninghaus G, Bode F, et al. Quantitative skin prick and bronchial provocation tests with platinum salt. *Br J Ind Med* 1991;48(12):830-7.
- 643 Merget R, Dierkes A, Rueckmann A, et al. Absence of relationship between degree of nonspecific and specific bronchial responsiveness in occupational asthma due to platinum salts. *Eur Respir J* 1996;9(2):211-6.
- 644 Moscato G, Dellabianca A, Vinci G, et al. Toluene diisocyanate-induced asthma: clinical findings and bronchial responsiveness studies in 113 exposed subjects with work-related respiratory symptoms. *J Occup Med* 1991;33(6):720-5.
- 645 Tarlo SM, Broder I. Outcome of assessments for occupational asthma. *Chest* 1991;100(2):329-35.
- 646 Vandenplas O, Delwiche JP, Evrard G, et al. Prevalence of occupational asthma due to latex among hospital personnel. *Am J Respir Crit Care Med* 1995;151(1):54-60.
- 647 Burge PS, O'Brien IM, Harries MG. Peak flow rate records in the diagnosis of occupational asthma due to colophony. *Thorax* 1979;34(3):308-16.
- 648 Burge PS, O'Brien IM, Harries MG. Peak flow rate records in the diagnosis of occupational asthma due to isocyanates. *Thorax* 1979;34(3):317-23.
- 649 Chan-Yeung M, Lam S, Koener S. Clinical features and natural history of occupational asthma due to western red cedar (*Thuja plicata*). *Am J Med* 1982;72(3):411-5.
- 650 Merget R, Schulte A, Gebler A, et al. Outcome of occupational asthma due to platinum salts after transferral to low-exposure areas. *Int Arch Occup Environ Health* 1999;72(1):33-9.
- 651 Moscato G, Dellabianca A, Perfetti L, et al. Occupational asthma: a longitudinal study on the clinical and socioeconomic outcome after diagnosis. *Chest* 1999;115(1):249-56.

652. Pisati G, Baruffini A, Zedda S. Toluene diisocyanate induced asthma: outcome according to persistence or cessation of exposure. *Br J Ind Med* 1993;50(1):60-4.
653. Rosenberg N, Garnier R, Rousselin X, et al. Clinical and socio-professional fate of isocyanate-induced asthma. *Clin Allergy* 1987;17(1):55-61.
654. Tarlo SM, Banks D, Liss G, et al. Outcome determinants for isocyanate induced occupational asthma among compensation claimants. *Occup Environ Med* 1997;54(10):756-61.
655. Valentino M, Pizzichini MA, Monaco F, et al. Latex-induced asthma in four healthcare workers in a regional hospital. *Occup Med (Lond)* 1994;44(3):161-4.
656. Valentino M, Rapisarda V. Course of isocyanate-induced asthma in relation to exposure cessation: longitudinal study of 50 subjects [Italian]. *G Ital Med Lav Ergon* 2002;24(1):26-31.
657. Vandenplas O, Delwiche JP, Depelchin S, et al. Latex gloves with a lower protein content reduce bronchial reactions in subjects with occupational asthma caused by latex. *Am J Respir Crit Care Med* 1995;151(3 Pt 1):887-91.
658. Cannon J, Cullinan P, Newman Taylor A. Consequences of occupational asthma. *BMJ* 1995;311(7005):602-3.
659. Larbanois A, Jamart J, Delwiche JP, et al. Socioeconomic outcome of subjects experiencing asthma symptoms at work. *Eur Respir J* 2002;19(6):1107-13.
660. Ross DJ, McDonald JC. Health and employment after a diagnosis of occupational asthma: a descriptive study. *Occup Med (Lond)* 1998;48(4):219-25.
661. Ameille J, Pairon JC, Bayeux MC, et al. Consequences of occupational asthma on employment and financial status: a follow-up study. *Eur Respir J* 1997;10(1):55-8.
662. Gannon PF, Weir DC, Robertson AS, et al. Health, employment, and financial outcomes in workers with occupational asthma. *Br J Ind Med* 1993;50(6):491-6.
663. Marabini A, Dimich-Ward H, Kwan SY, et al. Clinical and socioeconomic features of subjects with red cedar asthma. A follow-up study. *Chest* 1993;104(3):821-4.
664. Vandenplas O, Jamart J, Delwiche JP, et al. Occupational asthma caused by natural rubber latex: outcome according to cessation or reduction of exposure. *J Allergy Clin Immunol* 2002;109(1):125-30.
665. Venables KM, Davison AG, Newman Taylor AJ. Consequences of occupational asthma. *Respir Med* 1989;83(5):437-40.
666. Ducharme FM. Inhaled glucocorticoids versus leukotriene receptor antagonists as single agent asthma treatment: systematic review of current evidence. *BMJ* 2003;22(326):621.
667. Paton J, Jardine E, McNeill E, et al. Adrenal responses to low dose synthetic ACTH (Synacthen) in children receiving high dose inhaled fluticasone. *Arch Dis Child* 2006;91(10):808-13.
668. Carlsen KCL, Stick S, Kamin W, et al. The efficacy and safety of fluticasone propionate in very young children with persistent asthma symptoms. *Respir Med* 2005;99(11):1393-402.
669. Teper AM, Colom AJ, Kofman CD, et al. Effects of Inhaled Fluticasone Propionate in Children Less Than 2 Years Old with Recurrent Wheezing. *Pediatr Pulmonol* 2004;37(2):111-5.
670. Teper AM, Kofman CD, Szulman GA, et al. Fluticasone improves pulmonary function in children under 2 years old with risk factors for asthma. *Am J Respir Crit Care Med* 2005;171(6):587-90.
671. Bisgaard H, Allen D, Milanowski J, et al. Twelve-month safety and efficacy of inhaled fluticasone propionate in children aged 1 to 3 years with recurrent wheezing. *Pediatrics* 2004;113(2).
672. Hodges IGC, Netherway TA. Once-daily fluticasone propionate is as effective as twice-daily treatment in stable, mild-to-moderate childhood asthma. *Clin Drug Invest* 2005;25(1):13-22.
673. Bernstein D, Allen D. Evaluation of tests of hypothalamic-pituitary-adrenal axis function used to measure effects of inhaled corticosteroids. *Ann Allergy Asthma Immunol* 2007;98(2):118-27.
674. Chalmers GW, MacLeod KJ, Little SA, et al. Influence of cigarette smoking on inhaled corticosteroid treatment in mild asthma. *Thorax* 2002;57(3):226-30.
675. Edwards A, Stevens M. The clinical efficacy of inhaled nedocromil sodium (Tilade) in the treatment of asthma. *Eur Respir J*. 1993;6(1):35-41.
676. Covar RA, Spahn JD, Martin RJ, et al. Safety and application of induced sputum analysis in childhood asthma. *J Allergy Clin Immunol* 2004;114(3):575-82.
677. Payne D, Balfour-Lynn I, Biggart E, et al. Subcutaneous terbutaline in children with chronic severe asthma. *Pediatr Pulmonol* 2002;33(5):356-61.
678. Aalbers R, Backer V, Kava T, et al. Adjustable maintenance dosing with budesonide/formoterol compared with fixed-dose salmeterol/fluticasone in moderate to severe asthma. *Curr Med Res Opin* 2004;20(2):225-40.
679. Humbert M, Beasley R, Ayres J, et al. Benefits of omalizumab as add-on therapy in patients with severe persistent asthma who are inadequately controlled despite best available therapy (GINA 2002 step 4 treatment): INNOVATE. *Allergy* 2005;60(3):309-16.
680. Walker S, Monteil M, Phelan K, et al. Anti-IgE for chronic asthma in adults and children (Cochrane Review). In: *The Cochrane Library*, Issue 2, 2006. Chichester, UK: John Wiley & Sons, Ltd.